CLATRONIC®

Home Appliances 2012

CONTENT

3 Titanium
4 Breakfast-Set
6 Coffee machines
11 Coffee grinder
11 Milk foamer
13 Travelling kettle
13 Kettle
17 Tea and water kettle

17 Automatic toasters
19 Waffle maker
21 Ice cream cone maker
21 Crêpes maker
21 Doughnuts maker
22 Muffin maker
22 Sandwich toasters
23 Ice Cube maker
24 Icecream maker
24 Yoghurt maker
24 Candyfloss maker
25 Popcorn maker
25 Chocolate fountain
25 Egg boiler
26 Pepper/salt mill

27 Cheese grater
27 Food slicer
28 Electric knife
28 Blender
29 Blender set
30 Multi purpose mixer
31 Hand mixer
33 Hand mixer sets
34 Kneading and stirring machines
36 Food processor
39 Mincer
40 Universal mixer
41 Lemon squeezer
41 Automatic juice extractor
42 Kitchen scales
44 Food dryer
44 Can opener
44 Foil heat-sealer
45 Fondue deep fat pan
45 Deep fat fryers

47 Rice boiler
48 Automatic bread machine
49 Steam cooker
49 Hot dog maker
49 Contact Grill
50 Multi Teppan Yakigrill
50 Party pans
52 Raclette grills
52 Electric grill lighter
53 Barbecue standing grill
53 Barbecue table grills
54 Buffet warmer/ Hotplate
54 Mini kitchen
55 Pizza oven
55 Mini oven
56 Mini table oven with grill and convection
56 Microwaves
60 Built-in Microwaves with grill
61 Alcohol analyzer
61 Slow cooker
61 Hotplates
62 Induction cooking plates

63 Travelling steam iron
64 Automatic ironing machines
66 Steam ironing center
66 Steam ironing unit
67 Fabric steamer
68 Mini washing machine



68 Steam cleaner
69 Steam mop
70 Battery vaccum cleaner
71 Robot vaccum
72 Hand vacuum cleaner
72 Floor vacuum cleaner
77 Textile cleaner

77 Nose hair remover
77 Hair and beard trimmers
78 Men's rasor
79 Curlers
79 Hair straightener
80 Hair straightener
81 Multicurler
81 Hair curler/Curling tongs
82 Hairdryer
86 Manicure/pedicure set
87 Bathroom scales
88 Foot massage equipment
88 Massage equipment

89 Ventilators
90 Convector heater
91 Tower fan
91 Warm air fan heater
92 Insect killer
93 Accessoires

Titanium







Coffee Machine **KA 3301**

- Coffee machine in an attractive and unusual design
- For 12 - 15 cups of coffee (approx. 1.5 l)
- Stainless steel housing
- Satin-finish glass pot
- Base illuminated in blue
- Water tank illuminated in blue
- Heating plate
- Removable filter holder
- Anti-drip protection
- On/Off switch

:	230 V, 50 Hz, 1000 W
WxHxD:	225 x 325 x 230 mm
PU:	4
Art. no.:	263 099
EAN:	4 006 160 630 992

Kettle **WKS 3299**

- Kettle in an attractive, unusual design
- Stainless steel housing
- Base illuminated in blue
- Simple handling due to cable-free design – easy to pour in and out
- 360° connector
- Lockable safety hinged lid
- Max. capacity 1.5 litre
- Concealed stainless steel heating element
- Removable and washable limestone filter
- Automatic/manual switch off
- Evaporation/overheating protection
- Illuminated water tank
- On/Off switch

:	230 V, 50 Hz, 2000 W max.
WxHxD:	180 x 260 x 150 mm
PU:	4
Art. no.:	263 097
EAN:	4 006 160 630 978

Automatic Toaster **TA 3300**

- Compact 2-slice toaster in an attractive and unusual design
- Stainless steel housing
- Base illuminated in blue
- Removable bread-roll holder
- Defrost/Reheat/Quick-stop function
- Lift function
- Function buttons, illuminated in blue
- Continuously adjustable thermostat
- Browning level control, illuminated in blue
- Automatic/manual switch off
- Crumb drawer, removable
- Non-slip stand
- Cable take-up on the base

:	230 V, 50 Hz, 870 W max.
WxHxD:	300 x 170 x 173 mm
PU:	4
Art. no.:	263 098
EAN:	4 006 160 630 985

3in1
bianco

Breakfast-Set **FS 3221 Bianco**

PU:	4
Art. no.:	263 041
EAN:	4 006 160 630 411

Breakfast-Set **FS 3221 Nero**

PU:	4
Art. no.:	263 040
EAN:	4 006 160 630 404

Coffee Machine
KA 3222

- For 8-10 cups of coffee
- Anti Drip function
- On/Off switch with indicator lamp
- Swivel filter
- Water level indicator
- Hotplate

⊛:	230 V, 50 Hz, 870 W max.
WxHxD:	210 x 300 x 220 mm

Automatic Toaster
TA 3223

- 2-slice toaster
- Cool-touch housing
- Continuously adjustable thermostat
- Reheat function, defrost function, quick-stop function
- Drawer for crumbs, removable
- Integrated roll top
- Cable take-up on the base
- Lift function

⊛:	230 V, 50 Hz, 800 W
WxHxD:	275 x 180 x 180 mm

Kettle
WK 3224

- Cordless, for ease of use
- Max. capacity 1.7 litre
- Removable nylon filter
- Automatic/manual switch off
- 2 outer water level marks
- Evaporation-/overheating protection
- On/Off switch with indicator lamp

⊛:	230 V, 50 Hz, 2200 W max.
WxHxD:	250 x 265 x 135 mm

KA 3302



1 cup coffee machine
KA 3356

- One-cup coffee machine for filter coffee
- Space-saving design, ideal when out and about
- Permanent nylon filter (removable)
- On/Off switch with indicator lamp
- Includes one ceramic cup
- Nonslip removable tray

- 230 V, 50 Hz, 300 W
- WxHxD approx. 130x175x155 mm

○ **Art. no. 263 155**
EAN 4 006 160 631 555 PU 6

CE

Coffee machine
KA 3188

- 2-cups automatic coffee machine
- Permanent nylon filter (removable)
- Includes two ceramic cups
- On/Off switch illuminated
- Non-slip, dimpled work surface, removable

- 220–240 V, 50 Hz, 500 W
- WxHxD approx. 175x200x170 mm

● **Art. no. 262 542**
EAN 4 006 160 625 424 PU 6

CE



Coffee machine
KA 3330

- For 8-10 cups of coffee (approx. 1.25 l)
- Anti Drip function
- On/Off switch with indicator lamp
- Swivel filter
- Anti-drip protection
- Transparent water container
- Water level indicator
- Heating plate

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 165x295x260 mm

○ **Art. no. 263 129**
EAN 4 006 160 631 296 PU 6
🔵 **Art. no. 263 130**
EAN 4 006 160 631 302 PU 6
● **Art. no. 263 131**
EAN 4 006 160 631 319 PU 6

CE



Coffee machine
KA 3382

- For 8-10 cups of coffee (approx. 1 l)
- Anti-drip protection
- Swivel filter
- Heating plate
- On/Off switch with indicator lamp
- Water level indicator

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 185x295x215 mm

○ **Art. no. 263 173**
EAN 4 006 160 631 739 PU 6
● **Art. no. 263 188**
EAN 4 006 160 631 883 PU 6

CE



Coffee machine
KA 3385

- For 10-12 cups of coffee (approx. 1.25 l)
- Anti-drip protection
- Removable filter holder
- Heating plate
- On/Off switch with indicator lamp
- Water level indicator

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 185x310x200 mm

○ **Art. no. 263 169**
EAN 4 006 160 631 692 PU 6
🔵 **Art. no. 263 170**
EAN 4 006 160 631 708 PU 6
● **Art. no. 263 171**
EAN 4 006 160 631 715 PU 6

CE

Coffee machine
KA 2888

- 12–15 cups of coffee (approx. 1.5 l)
- Programmable 24-hour LCD digital timer
- Swing-out filter
- Removable filter holder
- Anti-drip protection
- Hotplate with automatic switch off (after 2 hours)
- Water level indicator
- Cable shaft

- 230 V, 50 Hz, 1025 W
- WxHxD approx. 215x360x235 mm

● **Art. no. 262 107**
EAN 4 006 160 621 075 PU 6

CE



Coffee machine
KA 3422

- For approx. 12–14 cups of coffee (approx. 1.5 l)
- Aroma selection switch
- Programmable 12-hour LCD digital timer
- Hotplate with automatic switch off
- 2 control lamps
- 5 control buttons
- Removable filter holder
- Anti-drip protection
- Water level indicator

- 230 V, 50 Hz, 1000 W. max.
- WxHxD approx. 215x340x240 mm

● **Art. no. 263 200**
EAN 4 006 160 632 002 PU 6

CE GS



Coffee machine
KA 3302

- For 12-15 cups of coffee (approx. 1.8 l)
- Coffee machine with fine-steel front
- Background illuminated programmable 24-hour LCD digital timer
- Hotplate with automatic switch off
- 2 control lamps, 4 operating buttons
- Removable filter holder
- Anti-drip protection
- Transparent water container

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 225x370x270 mm

● **Art. no. 283 018**
EAN 4 006 160 830 187 PU 4

CE GS



Coffee machine
KA 3327

- For 8-10 cups of coffee (approx. 1 l)
- Thermo jug, double-walled
- Removable filter holder
- Anti-drip protection
- Water level indicator
- On/Off switch with indicator lamp

- 220-240 V, 50 Hz, 870 W max.
- WxHxD approx. 185x340x210 mm

○ **Art. no. 263 127**
EAN 4 006 160 631 272 PU 6
● **Art. no. 263 128**
EAN 4 006 160 631 289 PU 6

CE GS



Coffee machine with flask
KA 3328

- 2 flasks for 8-10 cups of coffee each (2 x 1 litre) – double-walled
- Removable filter holder
- Anti-drip protection
- On/Off switch with indicator lamp
- Water level indicator

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 185x340x210 mm



○ **Art. no. 263 126**
EAN 4 006 160 631 265 PU 4

CE GS



Coffee machine
KA 3386

- For 8-10 cups of coffee (approx. 1 l)
- Stainless steel thermo flask
- Double-walled thermo flask with aroma seal – no temperature loss
- Anti-drip protection
- Removable filter holder
- Automatic switch off
- Illuminated On/Off switch
- Water level indicator
- Cord storage

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 190x340x200 mm

● **Art. no. 263 168**
EAN 4 006 160 631 685 PU 6

CE GS



Coffee machine with flask
KA 3349

- For 12-14 cups of coffee (approx. 1.5 l)
- Stainless steel front
- Stainless steel thermo flask
- Double-walled thermo flask with aroma seal – no temperature loss
- On/Off switch with indicator lamp
- Removable filter holder
- Anti-drip protection
- Water level indicator
- Transparent water container

- 230 V, 50 Hz, 1100 W max.
- WxHxD approx. 225x370x270 mm

● **Art. no. 263 152**
EAN 4 006 160 631 524 PU 4

CE GS

Coffee machine with flask
KA 3386 D

- 2 Stainless steel thermo flasks for 8-10 cups of coffee each (2 x 1 l)
- Double-walled thermo flasks with aroma seal – no temperature loss
- Anti-drip protection
- Removable filter holder
- Automatic switch off
- Illuminated On/Off switch
- Water level indicator
- Cord storage

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 190x340x200 mm



● **Art. no. 263 191**
EAN 4 006 160 631 913 PU 4

1 cup coffee pad machine
KAP 3424

- One-cup coffee machine
- Aromatic coffee with a fine crema cup for cup, fast and fresh – ideal for offices, single households etc.
- 2 pad adapters – for standard pads or milk coffee pads and strong coffee
- Suitable for commercially available coffee pads
- On/Off switch illuminated in blue
- Drip tray
- Removable coffee pad holder
- 2.5 bar pump pressure
- Includes ceramic cup

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 165x215x165 mm

● **Art. no. 251 138**
EAN 4 006 160 511 383 PU 4

1 cup coffee pad machine
KAP 3424 E

- One-cup coffee machine
- Aromatic coffee with a fine crema cup for cup, fast and fresh – ideal for offices, single households etc.
- 2 pad adapters – for standard pads or milk coffee pads and strong coffee
- Suitable for commercially available coffee pads
- On/Off switch illuminated in blue
- Drip tray
- Removable coffee pad holder
- 2.5 bar pump pressure
- Incl. double wall stainless steel cup

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 165x215x165 mm

● **Art. no. 251 139**
EAN 4 006 160 511 390 PU 4

Coffee grinder
KSW 3306

- Electric coffee mill with beater
- Stainless steel beater blade
- Stainless steel bean container, hygienic and with aroma protection
- Transparent lid
- Capacity 40 g – for 20 cups of coffee
- With 120 watt motor
- Safety circuit – operation only possible with lid in place
- Safety pushbutton also for pulsed operation
- Degree of grinding can be selected by the length of operation
- Electric lead take-up

- 230 V, 50 Hz, 120 W
- WxHxD approx. 100x200x100 mm

○ **Art. no. 283 023**
EAN 4 006 160 830 231 PU 6
● **Art. no. 283 032**
EAN 4 006 160 830 323 PU 6

Stainless steel housing

Coffee grinder
KSW 3307

- Electric coffee mill with beater
- Stainless steel beater blade
- Stainless steel bean container, hygienic and with aroma protection
- Transparent lid
- Capacity 40 g – for 20 cups of coffee
- With 120 watt motor
- Safety circuit – operation only possible with lid in place
- Safety pushbutton also for pulsed operation
- Degree of grinding can be selected by the length of operation
- Electric lead take-up

- 230 V, 50 Hz, 120 W
- WxHxD approx. 100x200x100 mm

● **Art. no. 283 024**
EAN 4 006 160 830 248 PU 6

Cold and warm foaming function

Milk frother
MS 3326

- No preheating of the milk thanks to the integrated heating function
- Creates foamy milk in seconds
- Also suitable for hot and cold chocolate
- Simple handling due to the cableless design, plug connection rotates through 360°
- Built-in heating element
- Electronic 3-function switch
- Froth the milk warm
- Froth the milk cold – ideal for iced coffee
- Heat the milk
- Automatic switch off function
- Max. capacity 450 ml
- Incl. lid with splash guard function
- Mixing bowl and lid removable for easy cleaning
- Non-stick coated, inside/outside

- 230 V, 50 Hz, 600 W
- WxHxD approx. 180x125x175 mm

● **Art. no. 263 125**
EAN 4 006 160 631 258 PU 4

Milk frother
MS 3358

- Integrated heating function
- Creates foamy milk in seconds
- Glass vessel, 500 ml content
- Glass bottom, illuminated
- Simple handling due to the cableless design, plug connection rotates through 360°
- Built-in heating element
- Automatic switch off function
- Incl. lid with splash guard function
- Stainless steel beater, removable for easy cleaning
- Additional stirrer for hot drinks without foaming (e.g. cocoa)
- Vessel bottom with non-stick coating
- Includes spare stainless steel beater and cleaning brush

- 230 V, 50 Hz, 550 W
- WxHxD approx. 175x190x120 mm

○ **Art. no. 263 153**
EAN 4 006 160 631 531 PU 6

CE

Milk frother
MS 3417

- Milk frother including sealable milk container for frothing and storing in the refrigerator
- Container dishwasher-safe
- Creates foamy milk in seconds
- Controlled runtime through automatic switch off
- Stainless steel whisk
- Simple operation and cleaning
- Indicator light

- ▭ : 2 x AA (not supplied)
- WxHxD approx. 100x220x85 mm

● **Art. no. 251 133**
EAN 4 006 160 511 338 PU 8

CE

Milk frother
MS 3089

- Creates foamy milk in seconds
- Soft touch housing
- Stainless steel whisk
- Easy-to-clean

- ▭ : 2 x 1,5 V AA/UM 3 (not supplied)
- WxHxD approx. 47x225x32 mm

● **Art. no. 262 161**
EAN 4 006 160 621 617 PU 20

CE

Stainless steel housing

Travelling kettle
WKR 2902

- Capacity 0.6 litre
- Includes coffee tin, 2 cups and stainless steel spoon
- Stainless steel housing
- Automatic switch off
- Evaporation/overheating protection

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 110x170x165 mm

● **Art. no. 262 912**
EAN 4 006 160 629 125 PU 8

CE

Kettle
WK 2933

- Max. capacity 1.0 litre
- Indicator light
- Safety lid
- Overheat protection

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 110x195x175 mm

○ **Art. no. 281 952**
EAN 4 006 160 819 526 PU 10
● **Art. no. 281 953**
EAN 4 006 160 281 958 PU 10

CE

Kettle
WK 3380

- Max. capacity 1 litre
- Simple handling due to cable-free design – easy to pour in and out
- Lockable safety hinged lid
- Removable lime filter
- Stainless steel heating element
- Automatic/manual switch off
- Evaporation/overheating protection
- Heat-resistant plastic container
- Base station with cord storage
- Water level indicator
- Illuminated On/Off switch

- 230 V, 50 Hz, 1080 W. max
- WxHxD approx. 185x225x115 mm

○ **Art. no. 263 178**
EAN 4 006 160 631 784 PU 6
● **Art. no. 263 187**
EAN 4 006 160 631 876 PU 6

CE

Stainless steel

Kettle
WK 2498

- Max. capacity 1.7 litre
- Locked safety snap-on lid with single-handed operating
- Cordless, easy filling and pouring
- stainless steel heating element
- Removable nylon filter
- Automatic/manual switch off
- 2 outer water level marks
- Evaporation/overheating protection
- Indicator light
- Rubber profile on the handle

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 150x225x240 mm

⚪ **Art. no. 282 154**
EAN 4 006 160 821 543 PU 6
🔵 **Art. no. 281 933**
EAN 4 006 160 819 335 PU 6

CE

Kettle
WK 3383

- Max. capacity 1.7 litre
- Simple handling due to cable-free design – easy to pour in and out
- Lockable safety hinged lid
- Removable lime filter
- Stainless steel heating element
- Automatic/manual switch off
- Evaporation/overheating protection
- Heat-resistant plastic container
- Base station with cord storage
- Water level indicator
- On/Off switch with indicator lamp

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 225x225x140 mm

⚪ **Art. no. 263 174**
EAN 4 006 160 631 746 PU 6
⚫ **Art. no. 263 189**
EAN 4 006 160 631 890 PU 6

CE

Kettle
WK 3331

- Max. capacity 1.7 litre
- Simple handling due to cable-free design – easy to pour in and out
- Lockable safety hinged lid
- Stainless steel heating element
- Water level indicator
- On/Off switch illuminated
- Removable lime filter
- Automatic/manual switch off
- Evaporation/overheating protection
- Heat-resistant plastic container
- Base station with cord storage

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 200x245x125 mm

⚪ **Art. no. 263 300**
EAN 4 006 160 633 009 PU 6
🔵 **Art. no. 263 301**
EAN 4 006 160 633 016 PU 6
⚫ **Art. no. 263 302**
EAN 4 006 160 633 023 PU 6

CE

Kettle
WK 2950

- Max. capacity 1.7 litre
- Cordless – 360 ° connector
- Built-in heating element
- Base station with cord storage
- High quality steel hotplate
- Lime filter
- Illuminated water level indicator
- Large viewing window for water level
- Automatic/manual switch off
- On/Off switch

- 230 V, 50 Hz, 2200 W
- WxHxD approx. 135x270x240 mm



Stiftung Warentest
test
GUT (2,4)
Im Test:
20 Wasserkocher
mit verdeckter
Heizung
Qualitätsurteil: gut
Ermittelt am Produkt
WK 504 CB von
Bomann (baugleich)
Ausgabe
08/2006

⚪ **Art. no. 262 939**
EAN 4 006 160 629 392 PU 6

CE

Kettle
WK 3289

- Max. capacity 1.7 litre
- Large round scale for displaying the brewing temperature
- Simple handling due to cable-free design – easy to pour in and out
- 360° connector
- Lockable safety hinged lid
- Concealed stainless steel heating element
- Removable and washable limestone filter
- Automatic/manual switch off
- Evaporation/overheating protection
- Two-way water level indicator
- Base station with cord storage
- On/Off switch
- Indicator light

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 200x225x170 mm

⚫ **Art. no. 263 091**
EAN 4 006 160 630 916 PU 6

CE

Kettle
WKS 3381

- Max. capacity 1 litre
- Stainless steel thermo housing
- Simple handling due to cable-free design – easy to pour in and out
- 360° connector
- Lockable safety hinged lid
- Removable lime filter
- Concealed stainless steel heating element
- Automatic/manual switch off
- Evaporation/overheating protection
- Base station with cord storage
- Water level indicator
- On/Off switch

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 220x195x150 mm

⚫ **Art. no. 263 179**
EAN 4 006 160 631 791 PU 6

CE

Stainless steel

Kettle
WKS 2882

- Max. capacity 1.7 litre
- 360 ° connector
- Stainless steel body with integrated heating element
- Automatic/manual switch off
- Illuminated On/Off switch
- Practical cable tidy

- 230 V, 50 Hz, 2400 W max.
- WxHxD approx. 160x235x210 mm

○ **Art. no. 262 909**
EAN 4 006 160 629 095 PU 6
● **Art. no. 262 910**
EAN 4 006 160 629 101 PU 6
● **Art. no. 262 911**
EAN 4 006 160 629 118 PU 6

Stainless steel

Kettle
WKS 3437

- Max. capacity 1.7 litre
- Simple handling due to cable-free design – easy to pour in and out
- 360° connector
- Lockable safety hinged lid
- Stainless steel body with integrated heating element
- Integrated lime filter
- Automatic/manual switch off
- Water level indication
- Evaporation/overheating protection
- On/Off switch, illuminated
- Practical cable tidy

- 230 V, 50 Hz, 2400 W max.
- WxHxD approx. 230x250x145 mm

○ **Art. no. 263 567**
EAN 4 006 160 635 676 PU 6
● **Art. no. 263 568**
EAN 4 006 160 635 683 PU 6
● **Art. no. 263 569**
EAN 4 006 160 635 690 PU 6

Stainless steel

Kettle
WKS 3288

- Max. capacity 1.7 litre
- Simple handling due to cable-free design – easy to pour in and out
- 360° connector
- Lockable safety hinged lid
- Stainless steel thermo housing
- Concealed stainless steel heating element
- Removable and washable limestone filter
- Automatic/manual switch off
- Evaporation/overheating protection
- Two-way water level indicator
- Base station with retracting cable, sheet in stainless steel
- On/Off switch
- Control lamp, illuminated in blue

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 220x250x145 mm

○ **Art. no. 263 090**
EAN 4 006 160 630 909 PU 6

Glas kettle
WK 3398 G

- Max. capacity 1.7 litre
- Simple handling due to cable-free design – easy to pour in and out
- Water tank made of heat-resistant safety glass
- 360° connector
- Lockable safety hinged lid
- Glass/Stainless steel housing
- Concealed stainless steel heating element
- Removable and washable limestone filter
- Automatic/manual switch off
- Evaporation/overheating protection
- Exterior water level indicator
- Base with retractable cord, stainless steel housing
- On/Off switch
- Control lamp, illuminated in blue

- 230 V, 50 Hz,2200 W
- WxHxD approx. 220x240x160 mm

○ **Art. no. 263 193**
EAN 4 006 160 631 937 PU 4

2in1

Tea kettle
TK 2932

- Max. capacity 0.7 litre
- 2-in-1: Tea and water kettle
- Cordless
- Permanent tea filter, removable
- Keep warm function
- Easy filling and pouring
- Automatic/manual switch off
- Built-in heating element
- Evaporation/overheating protection
- Illuminated On/Off switch
- Indicator light

- 230 V, 50 Hz, 600 W
- WxHxD approx. 150x230x205 mm

● **Art. no. 281 951**
EAN 4 006 160 819 519 PU 6

Automatic toaster
TA 3287

- Compact 2-slice toaster
- Cool-touch housing
- Integrated roll top
- Reheat function, defrost function, quick-stop function
- Continuously adjustable thermostat
- Automatic/manual switch off
- Crumb drawer, removable
- 2 control lamps
- Cable take-up on the base

- 230 V, 50 Hz, 600–700 W max.
- WxHxD approx. 285x240x165 mm

○ **Art. no. 263 089**
EAN 4 006 160 630 893 PU 6
● **Art. no. 263 104**
EAN 4 006 160 631 043 PU 6



Stainless steel insert

Automatic toaster
TA 3335

- 2-slice toaster
- Cool-touch housing
- Continuously adjustable thermostat
- Reheat function, defrost function, quick-stop function, illuminated
- Lift function
- Easy-Touch Crumb drawer, removable
- Removable bread-roll holder
- Cable take-up on the base

- 230 V, 50 Hz, 800 W
- WxHxD approx. 260x175x155 mm

○ **Art. no. 263 320**
EAN 4 006 160 633 207 PU 6
🔵 **Art. no. 263 321**
EAN 4 006 160 633 214 PU 6
● **Art. no. 263 322**
EAN 4 006 160 633 221 PU 6

CE GS

Automatic toaster
TA 3384

- 2-slice toaster
- Cool-touch housing
- Reheat function, defrost function, quick-stop function, illuminated
- Lift function
- Continuously adjustable thermostat
- Crumb drawer, removable
- Cable take-up on the base
- Integrated roll top

- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 250x175x165 mm

○ **Art. no. 263 175**
EAN 4 006 160 631 753 PU 6
● **Art. no. 263 190**
EAN 4 006 160 631 906 PU 6

CE GS

Automatic toaster
TA 3324

- Housing with stainless steel inserts
- 2-slice toaster
- Continuously adjustable thermostat
- Automatic/manual switch off
- Lift function
- Defrost function illuminated in blue
- Reheat function illuminated in blue
- Quick stop function illuminated in blue
- Crumb drawer, removable
- Electric lead take-up
- Removable bread-roll holder

- 230 V, 50 Hz, 850 W max.
- WxHxD approx. 290x190x180 mm

○ **Art. no. 263 303**
EAN 4 006 160 633 030 PU 4

CE GS

Automatic toaster
TA 2980

- Toaster for 4 slices, with extra-long slots
- Cool Touch housing
- Continuously adjustable thermostat
- Centring function
- 3 LED'S
- Thawing out function
- Reheat function
- Quick-stop function
- Removable bread-roll holder
- Automatic switch off function
- Drawer for crumbs; Cable take-up

- 230 V, 50 Hz, 1400 W
- WxHxD approx. 400x230x170 mm

○ **Art. no. 261 115**
EAN 4 006 160 261 110 PU 6

CE GS

Automatic toaster
TA 3359

- Housing with stainless steel insert
- 4 slice toaster
- Continuously adjustable thermostat
- Automatic/manual switch off
- Lift function
- 2x defrost function
- 2x reheat function
- 2x quick stop function
- Independent use of each function
- Crumb drawer, removable
- Electric lead take-up

- 230 V, 50 Hz, 1500 W max.
- WxHxD approx. 300x200x295 mm

○ **Art. no. 263 156**
EAN 4 006 160 631 562 PU 2

CE GS

Waffle maker
WA 3275

- Large plates, non-stick coated
- Heat insulated handle
- Continuously adjustable thermostat
- 2 control lamps
- Overheating protection

- 230 V, 50 Hz, 850 W
- WxHxD approx. 190x110x250 mm

○ **Art. no. 261 650**
EAN 4 006 160 616 507 PU 6
🔵 **Art. no. 261 651**
EAN 4 006 160 616 514 PU 6

CE GS

Stainless steel housing

INOX *Designer Serie*

Waffle maker
WA 3116

- Stainless steel housing
- Non-Stick coated plates
- Insulated handles
- Infinitely adjustable thermostat
- Baking lights
- Overheating protection

- 230 V, 50 Hz, 1200 W
- WxHxD approx. 228x283x125 mm

Art. no. 271 588
EAN 4 006 160 715 880 PU 6

Stainless steel housing

Waffle maker
WA 3273

- Waffle maker for Belgian waffles
- stainless steel housing
- 2 waffles for each baking procedure
- 2 large baking surfaces, approx. 10 x 13 cm each
- Insulated handles
- Infinitely adjustable thermostat
- 2 control lamps (indicator lights) for mains and heating
- Overheating protection
- Safety shutdown

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 225x115x200 mm

Art. no. 271 658
EAN 4 006 160 716 580 PU 6

Waffle maker
WA 3169 Profi Cook

- Stainless steel housing
- 1400 watt
- 2 large plates, non-stick coated
- Heat insulated handle
- 2 control lamps
- Safety thermal cut-out

- 230 V, 50 Hz, 1400 W
- WxHxD approx. 340x80x200 mm

Art. no. 261 635
EAN 4 006 160 616 354 PU 6

Ice cream cone maker
HA 3277

- 18 cm plate diameter
- Baking lights for mains and heating
- Baking surfaces non-stick coated
- Continuously adjustable thermostat
- Heat insulated handle

- 230 V, 50 Hz, 800 W
- WxHxD approx. 268x127x271 mm

Art. no. 261 652
EAN 4 006 160 616 521 PU 6

Crêpe maker
CM 3372

- Paper-thin crêpes, quickly and easily prepared
- Hotplate: Ø 29 cm
- Non-stick coated
- Infinitely adjustable thermostat
- Baking lights
- Heat-insulated plastic base
- Cable take-up on the base
- Includes batter distributor

- 230 V, 50 Hz, 900 W
- WxHxD approx. 325x80x370 mm



Includes
batter distributor

Art. no. 251 121
EAN 4 006 160 511 215 PU 4

Stainless steel housing

Doughnuts maker
DM 3127

- Stainless steel housing
- For baking up to 6 bagels/ doughnuts
- Baking surfaces non-stick coated
- Heat insulated handle
- Baking lights
- Overheating protection

- 230 V, 50 Hz, 800 W max.
- WxHxD approx. 230x75x220 mm

Art. no. 261 639
EAN 4 006 160 616 392 PU 6

Muffin maker
MM 3336

- Stainless steel insert
- For baking up to 7 muffins
- Muffin diameter approx. 4.5 cm
- Baking surfaces non-stick coated
- Baking lights for mains and heating
- Overheating protection
- Heat-resistant housing
- Insulated handles
- Electric lead take-up
- Excellent stability through rubberised feet

- 230 V, 50 Hz, 1400 W
- WxHxD approx. 205x250x120 mm

○ **Art. no. 261 655**
EAN 4 006 160 616 552 PU 6

Sandwich toaster
ST 3274

- With non-stick coating
- Overheating protection
- Safety shutdown
- Automatic temperature controller
- Heat insulated handle
- 2 control lamps (indicator lights) for mains and heating
- Locking system

- 220-240 V, 50 Hz, 750 W max.
- WxHxD approx. 230x80x230 mm

○ **Art. no. 261 648**
EAN 4 006 160 616 484 PU 6
🔵 **Art. no. 261 649**
EAN 4 006 160 616 491 PU 6
● **Art. no. 261 656**
EAN 4 006 160 616 569 PU 6

Sandwich toaster
ST 3171

- 2-slice sandwich toaster with stainless steel insert
- With non-stick coating
- Heat insulated handle
- Locking system
- Automatic temperature control
- Safety cut-out
- Safety thermal cut-out
- 2 pilot lights for power and heating (Baking lights)

- 230 V, 50 Hz, 750 W
- WxHxD approx. 245x100x235 mm

○ **Art. no. 261 641**
EAN 4 006 160 616 415 PU 6

3in1

Sandwich toaster
ST/WA 3170

- Multigrill with stainless steel insert
- Sandwich toaster, waffle maker and contact grill in one
- Extremely versatile due to the three different interchangeable plates (sandwich/waffle/grill plates) e.g. for Belgian waffles and tasty sandwich variations, as well as for quick contact grilling on both sides
- Non-stick and changeable cooking plates
- Locking system
- 2 control lamps
- Overheating protection
- Heat insulated handle

- 230 V, 50 Hz, 750 W max.
- WxHxD approx. 240x105x235 mm



○ **Art. no. 261 640**
EAN 4 006 160 616 408 PU 4

Sandwich toaster
ST 3325

- 4 slice sandwich toaster
- 3-cornered sandwich boards
- Non-stick coated
- Safety thermal cut-out and thermo-fuse
- Baking lights – 2 pilot lights for power and heating
- Automatic temperature controller
- Heat insulated handle
- Locking system

- 230 V, 50 Hz, 1400 W
- WxHxD approx. 325x94x295 mm

○ **Art. no. 261 654**
EAN 4 006 160 616 545 PU 4

Ice cube maker
EWB 3281

- Compact ice cube maker without complicated installation for producing ice cubes quickly and simply at the press of a button
- Ideal for home use, in offices, when camping or for small bars
- No water pipe required, simply fill water into the tank (2-l-water tank)
- Approx. 10–15 kg of ice cubes in 24 hours (approx. 85–125 g in 12 min – corresponding to approx. 12 ice cubes)
- Select from 3 ice cube sizes
- Acoustic signal when the ice cube container is full or the water tank is empty
- Energy-saving mode – automatic switch off at the end of the program
- LED displays
- On/Off switch
- Visual check through viewing window in the lid
- Low-noise

- 230 V, 50 Hz, 150 W
- WxHxD approx. 330x360x430 mm

○ **Art. no. 283 016**
EAN 4 006 160 830 163 PU 1

Ice cream maker
ICM 3225

- Ice cream maker, suitable for preparing sorbet, ice cream and frozen yoghurt
- Maximum ice quantity approx. 1,0 kg
- Preparation time 20–40 min.
- Timer function
- Double-walled ice cream maker with freezer pack
- Stirring element with quiet, powerful synchronous motor
- Easy to clean

- 230 V, 50 Hz, 15 W
- WxHxD approx. 225x265x225 mm

Art. no. 263 045
EAN 4 006 160 630 459 PU 2

CE

Yoghurt maker
JM 3344

- Easy preparation of up to 1.1 litre of yoghurt
- On/Off switch illuminated
- 7 practical portion jars with screw cap (capacity: 160 ml)
- Transparent lid
- Additional jars in a set of 6 also available as an optional EG JM 3344, Product number: 251 125

- 230 V, 50 Hz, 14 W
- WxHxD approx. 240x150x265 mm

Art. no. 251 119
EAN 4 006 160 511 192 PU 6

CE

Candyfloss maker
ZWM 3199

- On/Off switch illuminated
- Large candyfloss bowl: Ø approx. 29 cm
- removable, transparent splash guard
- Dish and splash guard suitable for dishwasher use
- quartz heating element
- High level of stability due to suction feet
- Including measuring spoon and 10 wooden sticks

- 230 V, 50 Hz, 400 W
- WxHxD approx. 310x190x310 mm

Art. no. 263 023
EAN 4 006 160 630 237 PU 4

CE

Popcorn maker
PM 2658

- Popcorn made by hot air circulation – less calories
- A healthy and tasty snack for the whole family
- Easy to make
- Preparation without oil
- On/Off switch

- 230 V, 50 Hz, 900 W
- WxHxD approx. 160x300x140 mm

Art. no. 262 847
EAN 4 006 160 628 470 PU 8

CE

Stainless steel

Chocolate fountain
SKB 3248

- Chocolate fountain for an exclusive buffet experience
- For dipping in various types of fruit/pastries
- Extra-smooth cascades for improved flow characteristics
- Deep drip collection bowl for long-lasting chocolate enjoyment
- Warm chocolate is transported by means of a worm shaft to the top of the fountain and then flows continuously down the fountain in gentle cascades
- Height-adjustable feet for a perfectly balanced flow of chocolate
- Stainless steel housing
- Stainless steel tower/fountain
- Stainless steel drip tray
- Motor and heating switchable separately by means of 2 switches
- Excellent stability through rubberised feet

- 230 V, 50 Hz, 170 W
- WxHxD approx. 215x395x215 mm

Art. no. 262 695
EAN 4 006 160 626 957 PU 4

CE

Stainless steel

Egg boiler
EK 3321

- Preparation of up to 7 eggs
- Electronic hardness adjuster
- On/Off switch illuminated
- Acoustic signal (buzzer)
- Removable egg holder
- Measuring beaker with egg pricker
- Stainless steel housing
- High quality steel hotplate
- Lid and egg holder

- 230 V, 50 Hz, 400 W
- WxHxD approx. 220x155x185 mm

Art. no. 263 118
EAN 4 006 160 631 180 PU 4

CE



Battery

Egg boiler
EK 3088 N

- Preparation of up to 7 eggs
- Heating dish, non-stick coated
- Indicator light
- On/Off switch
- Acoustic signal (buzzer)
- Measuring beaker with egg pricker
- Removable egg holder
- Cable take-up

- 230 V, 50 Hz, 350 W
- WxHxD approx. 170x160x165 mm

Art. no. 263 003
EAN 4 006 160 630 039 PU 6

CE

Electric pepper/salt mill
PSM 3004 N

- High-quality precision ceramic grinder
- Adjustable ceramic grinder (from coarse to fine)
- Consistent grinding quality
- Simple refilling
- Single-handed operating
- Stainless steel housing
- Includes light for optimum dosing of the condiment
- Battery-operated

- □ : 4x 1,5 V AA/Mignon/LR/AM3 (not included)
- WxHxD approx. 45x220x45 mm

Art. no. 271 572
EAN 4 006 160 715 729 PU 6

CE

Electric pepper/salt mill
PSM 3419

- 2-in-1 pepper and salt mill with 2 separate chambers and grinders for grinding pepper and salt
- 2 high-quality precision grinders made of ceramics
- grinders adjustable from coarse to fine
- Consistent grinding quality
- Simple refilling
- Single-handed operating
- Stainless steel housing
- Battery-operated

- □ : 6x 1,5 V AAA (not included)
- WxHxD approx. 65x175x60 mm

Art. no. 251 135
EAN 4 006 160 511 352 PU 6

CE

Cheese grater
KR 3310

- Study battery-powered cheese grater in an elegant and attractive design, not only for the kitchen
- Powerful motor
- Grates hard cheese (Parmesan) or semi-hard cheese (e.g. Gouda) without difficulty within a short time, as well as chocolate, dried bread (breadcrumbs)
- Cordless operation for flexible use
- Replaceable container with coarse and fine grater attachments
- Collecting tray can be used for storage
- Lid includes sprinkle openings for practical portioning
- Battery mode

- 230 V, 50 Hz
- WxHxD approx. 75x240x75 mm

Art. no. 263 110
EAN 4 006 160 631 104 PU 6

CE

Food slicer
AS 2958

- Powerful motor
- Special stainless steel blade
- 3 stage switch
- Safety slide switch
- Thickness adjustment
- Thickness control gauge
- Food holder with finger guard
- Removable slide
- Folding housing

- 230 V, 50 Hz, 150 W
- WxHxD approx. 280x230x310 mm

Art. no. 262 532
EAN 4 006 160 625 325 PU 6

CE

Full metal food slicer
MA 2964

- Large stainless steel blade, 190 mm diameter
- Universal serrated blade
- Pressure die-cast aluminium motor housing
- Sliding plate made of metal
- Metal guide rail
- Food holder with finger guard
- Thickness adjustment (0–15 mm)
- Inclined metal table, folds for easy cleaning
- Non-slip feet

- 230 V, 50 Hz, 200 W max.
- WxHxD approx. 335x255x210 mm

Art. no. 262 533
EAN 4 006 160 625 332 PU 2

CE





Electric knife
EM 3062

- Powerful 180 watt max. motor
- Low-noise and low-vibration running
- Safety switch
- Safety slide switch
- Serrated stainless steel blades, dishwasher safe

- 230 V, 50 Hz, 180 W max.
- WxHxD approx. 420x130x60 mm

Art. no. 262 986
EAN 4 006 160 629 866 PU 6

CE

Battery

Battery-operated electric knife
EM 3191

- Battery knife for mobile use
- Low-noise, low-vibration
- Safety switch
- Safety slide switch
- Serrated stainless steel blades, suitable for dishwashers
- Ergonomic design handle
- Incl. wall holder/charger adapter

- ▭: 7,2 V (6 x AA-Batterien)
- WxHxD approx. 480x80x50 mm

Art. no. 263 020
EAN 4 006 160 630 206 PU 6

CE

Mixer
SM 3081

- On/Off button, countersunk
- Stainless steel cutting blade
- Eyelet for hanging
- Accessories: transparent 500 ml beaker, wall holder
- Incl. attachment materials

- 230 V, 50 Hz, 180 W
- WxHxD approx. 80x330x80 mm

Art. no. 262 160
EAN 4 006 160 621 600 PU 12

CE

Mixer
SM 3282

- Soft touch housing
- 2-level pushbutton switch
- Powerful 300 watt motor
- Stainless steel cutter
- Removable hand blender
- Ergonomic design handle
- Includes mixing vessel with scale (0.5 litre)

- 230 V, 50 Hz, 300 W
- WxHxD approx. 65x370x65 mm

Stiftung Warentest
test
GUT
Im Test:
22 Stabmixer,
darunter
2 baugleiche
Ausgabe
08/2011

Art. no. 263 111
EAN 4 006 160 631 111 PU 6

CE

3in1

Rod mixer
SMS 3190

- 3-in-1 hand blender set – stainless steel hand blender, multiple chopper and whisk in one
- Powerful 200 watt motor
- 2 speeds
- Removable metal whisk
- Stainless steel hand blender and multiple chopper, 0.5 litre
- Ergonomically shaped rubberised handle for easier handling
- Holder for metal whisk and stainless steel hand blender
- Hanging loop

- 230 V, 50 Hz, 200 W
- WxHxD approx. 160x370x150 mm

Art. no. 261 803
EAN 4 006 160 618 037 PU 6

CE

3in1

Rod mixer
SMS 2759

- 2 stage switch
- Powerful 380 watt motor
- Variable, electronical speed level setting
- Detachable metal sieve
- 2 changeable stainless steel blade utensils
- Whisk
- Mixing beaker (0.5 litre)
- Multi-purpose mixer (0.5 litre)
- Wall mounting set

- 230 V, 50 Hz, 380 W
- WxHxD approx. 70x385x70 mm



Art. no. 261 773
EAN 4 006 160 617 733 PU 6

CE

Multi purpose mixer
MZ 2619

- Transparent container
- 2-level pulse switching
- removable chopping blade (High-grade steel, rustproof)
- Firm stand
- Easy to clean

- 230 V, 50 Hz, 100 W
- WxHxD approx. 130x225x130 mm

○ **Art. no. 261 757**
EAN 4 006 160 617 573 PU 6

CE

2in1 **Ice-crusher-function**

Multi purpose mixer
MZ 3395

- Mixing bowl made of glass: 1 litres capacity, with scale
- Ice-crusher-function
- 2-level pulse switching
- Suitable for microwave oven
- Removable chopping blade (High-grade steel, rustproof)
- Safe base
- Easy to clean

- 230 V, 50 Hz, 180 W
- WxHxD approx. 168x168x220 mm

● **Art. no. 263 182**
EAN 4 006 160 631 821 PU 6

CE

2in1 **Multi purpose mixer & Ice-crusher**

Multi purpose mixer
MZ 3434

- 2 in 1 – Multi purpose mixer and Ice-crusher
- Mixing bowl made of glass: 1 litre capacity, suitable for microwave oven
- Ice-crusher-function
- 2-level pulse switching
- Removable chopping blade (high-grade steel, rustproof)
- Stainless steel insert
- Safe base
- Easy to clean

- 230 V, 50 Hz, 300 W
- WxHxD approx. 170x210x170 mm

○ **Art. no. 263 203**
EAN 4 006 160 632 033 PU 6

CE

2in1 **Multi purpose mixer & Ice-crusher**

Multi purpose mixer
MZ 3435

- 2 in 1 – Multi purpose mixer and Ice-crusher
- Mixing bowl made of glass: 1 litre capacity, suitable for microwave oven
- Ice-crusher-function
- 2-level pulse switching
- 2 removable chopping blades (high-grade steel, rustproof)
- Stainless steel insert
- Safe base
- Easy to clean

- 230 V, 50 Hz, 300 W
- WxHxD approx. 170x275x170 mm

● **Art. no. 263 204**
EAN 4 006 160 632 040 PU 6

CE

Multi purpose mixer
MZ 2877

- 350 watts maximum
- Transparent container (1.25 litre)
- Removable chopping blade (High-grade steel, rustproof)
- Firm stand
- Easy to clean
- Includes whisking disc (for whisking cream)

- 230 V, 50 Hz, max. 350 W
- WxHxD approx. 140x295x140 mm

○ **Art. no. 261 781**
EAN 4 006 160 617 818 PU 6

CE

Hand mixer
HM 3014

- Powerful 250 watt motor
- 5 speeds
- Eject button
- Dough hooks and beaters, chromium plated
- All accessories are dishwasher-resistant

- 230 V, 50 Hz, 250 W
- WxHxD approx. 180x280x90 mm

○ **Art. no. 262 147**
EAN 4 006 160 621 471 PU 6

CE

KM 3323
CTC CLATRONIC
1
2
3
4
OFF
OPEN

Kneading hook



2in1

Hand mixer
HM 3316

- Powerful 250 watt motor
- 5 speeds
- Turbo setting
- Eject button
- Accessory:
  2 stainless steel beaters,
  2 stainless steel dough hooks,
  blender
- All accessories dishwasher-proof

- 230 V, 50 Hz, 250 W
- WxHxD approx. 210x290x160 mm

Art. no. 263 112
EAN 4 006 160 631 128 PU 6

CE GS

Hand mixer set
HMS 3320

- Powerful 220 watt motor
- 5 speeds
- Turbo setting
- Eject button
- Large mixing bowl, rotating, capacity: 3 litre
- Quiet-running
- Accessory:
  2 Beaters, chrome-plated,
  2 dough hooks, chrome-plated
- All accessories dishwasher-proof

- 230 V, 50 Hz, 220 W
- WxHxD approx. 270x330x200 mm

Art. no. 263 117
EAN 4 006 160 631 173 PU 2

CE GS

2in1

Hand mixer set
HMS 2739

- Powerful 250 watt motor
- 5 speeds
- Turbo setting
- High-speed blender attachment
- with fine steel knife, stainless steel beaters and dough hooks
- Large mixing bowl with automatic drive
- All accessories dishwasher-proof

- 230 V, 50 Hz, 250 W
- WxHxD approx. 300x350x200 mm

Art. no. 261 770
EAN 4 006 160 617 702 PU 2

CE GS

2in1

Hand mixer set
HMS 3152

- General: hand mixer set with integrated kitchen scales, space-saving
- Hand mixer set: 5 speeds
- Turbo setting
- Kneading hook and beater, stainless steel
- Large mixing bowl with automatic drive
- Digital Kitchen Scales
- Clearly legible LCD display
- large stable top for accurate weighing
- Measurement range up to 5 kg
- convenient additional weighing by means of TARE function
- On/Off switch
- Kitchen scales separately usable
- Powerful 300 watt motor

- 230 V, 50 Hz, 300 W
- WxHxD approx. 370x400x240 mm

Art. no. 262 176
EAN 4 006 160 621 761 PU 2

1200 Watt

SuperSilent

Kneading machine
KM 3400

- Very quiet, high-performance kneading machine with extra-powerful 1200 W
- Special robust gear mechanism
- 5 litre fine steel dish for max. 2 kg mixture preparation
- Aluminium die-cast stirring hook – also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook – for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- 7 speed settings plus pulse (0-1-2-3-4-5-6)
- Safety circuit
- Constant power through load-dependent, electronic speed control
- Unlocking mechanism for multifunction arm
- 60° swivelling multifunction arm
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- Quick-action chuck for holding the tools

- 220-240 V, 50 Hz, 1200 W
- WxHxD approx. 230x370x230 mm



Art. no. 263 197
EAN 4 006 160 631 975 PU 1

Kneading and stirring machine
KM 3323

- Powerful food processor/kneading machine with extra-strong max. 1000 watt
- Special robust gear mechanism
- 5 litre fine steel dish for max. 2 kg mixture preparation
- Stainless steel bowl
- Aluminium die-cast stirring hook
- Aluminium die-cast dough hook
- Whisk made of stainless steel
- Transparent splash protection lid
- 5-level switch (0-1-2-3-4)
- 5 LED control lamps
- Safety circuit (can only be operated with the lid in position or with cover)
- Electronic speed control
- Unlocking mechanism for multifunction arm
- 60° swivelling multifunction arm
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- Protective cover for drive axle

- 230 V, 50 Hz, 1000 W max.
- WxHxD approx. 390x350x280 mm



ELECTRONIC

Art. no. 263 123
EAN 4 006 160 631 234 PU 1

Kneading machine
KM 3354

- Powerful food processor/kneading machine with extra-strong max. 1000 watt
- 12 speed settings plus pulse
- Approx. 4 litre stainless steel bowl for max. 2 kg dough/pastry preparation
- Mixing bowl made of glass: 1.3 litre capacity, with scale and filling aperture
- Includes ice crusher function
- Special kneading hook (spray protection) for yeast and bread dough
- Metal stirring hook with spray protection
- Metal whisk
- Metal beater
- Transparent splash guard lid with filling aperture
- blue illuminated liquid crystal display
- Safety circuit
- Electronic speed control
- Electronic running time display (time measurement)
- Unlocking mechanism for multifunction arm
- Swivelling multifunction arm
- Particularly easy to operate and clean
- Non-slip stand by suction feet

- 220–240 V, 50 Hz, 1000 W max., 600 W nom.
- WxHxD approx. 295x530x360 mm



ELECTRONIC

Art. no. 263 165
EAN 4 006 160 631 654 PU 1







Kneading/stirring machine incl. meat mincer
KM 3414

- Very quiet, high-performance kneading machine with extra-powerful 1000 watt
- Special robust gear mechanism
- 5 litre fine steel dish for max. 2 kg mixture preparation
- Aluminium die-cast stirring hook – also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook – for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Transparent splash protection lid, detachable
- 6-level switch (1-2-3-4-5-6)
- 7 LED control lamps, illuminated in blue
- Safety circuit
- Electronic speed control
- Unlocking mechanism for multifunction arm
- 35° swivelling multifunction arm
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- Protective cover for drive axle

Mincer
- Stainless steel blades, metal refill tray, metal tube, metal cutter, 3 steel mincing disks (5/3/2 mm)
- Biscuit attachment, sausage filler accessory
- Kebbe attachment - Oriental Cuisine

- 220-240 V, 50 Hz, 1000 W
- WxHxD approx. 534x455x234 mm

ELECTRONIC

Art. no. 263 198
EAN 4 006 160 631 982 PU 1

CE

Food processor
KM 3421

- High-performance food processor with extra-powerful 1000 watt
- Special robust gear mechanism
- 5 litre fine steel dish for max. 2 kg mixture preparation
- Stainless steel bowl
- Aluminium die-cast stirring hook – also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook – for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Transparent splash protection lid
- 5-level switch (0-1-2-3-4)
- 5 LED control lamps, illuminated in blue
- Safety circuit, Electronic speed control
- Unlocking mechanism for multifunction arm
- 35° swivelling multifunction arm
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- Protective cover for drive axle

Mincer
- Stainless steel blades, metal refill tray, metal tube, metal cutter, 3 steel mincing disks (5/3/2 mm)
- Biscuit attachment, sausage filler accessory
- Kebbe attachment - Oriental Cuisine

- 220-240 V, 50 Hz, 1000 W
- WxHxD approx. 390x350x280 mm

ELECTRONIC

Art. no. 263 199
EAN 4 006 160 631 999 PU 6

CE

Food processor
KM 3350

- Extra-powerful motor: max. 1000 Watts
- 6 speeds plus pulsed operation
- 5 litre fine steel dish for max. 2 kg mixture preparation
- Mixing vessel with scale and filling aperture, 1.5 litre capacity
- Special kneading hook (spray protection) for yeast and bread dough
- Metal stirring hook with spray protection
- Metal whisk with spray protection
- Sturdy special gears
- Swivelling multifunction arm
- Particularly easy to operate and clean
- Splash guard cover with filling aperture
- Safety circuit
- Unlocking mechanism for multifunction arm
- Non-slip stand by suction feet

Mincer
- Metal tube
- Metal cutter
- 3 steel mincing disks
- Stainless steel cutter
- Sausage filler accessory
- Biscuit attachment
- Metal refill tray

Pasta maker
- Make pasta yourself with 5 different attachments, e.g. spaghetti, macaroni, tagliatelle
- Includes box for storing the pasta attachments

- 230 V, 50 Hz, 1000 W max., 600 W nom.
- WxHxD approx. 250x575x400 mm

Art. no. 263 161
EAN 4 006 160 631 616 PU 1

CE

Pasta maker

Mixing accessory

4in1

Kneading and stirring

Mincer


Spaghetti attachment

Spaghetti attachment, narrow


Tagliatelle attachment

Lasagne sheets attachment

Penne/Macaroni attachment







ELECTRONIC



2in1

Food processor
KM 3099

- Powerful kitchen machine with approx. 550 watt motor
- 5 speed settings plus pulse (0/1/2/3/4)
- Safety switch
- Mixing vessel: 1.5 litre capacity, with scale
- Working container: 0.8 litre capacity, with scale
- High-quality, changeable utensils and work blades
- Accessories: cutting disc, guillotine knife, kneading knife, grating disc, plastic spatula

- 230 V, 50 Hz, 550 W max.
- WxHxD approx. 250x250x380 mm

Art. no. 262 977
EAN 4 006 160 629 774 PU 2

CE

Food processor
KM 3333

- Powerful kitchen machine with 1000 watt motor
- 5 speed settings plus pulse (0/1/2/3/4)
- Safety switch
- Mixing vessel: 1.5 litre capacity, with scale and filling aperture
- Working container: 2.5 litre capacity, with scale and filling aperture
- High-quality, changeable utensils and work blades
- Accessories: scraper disc (fine + coarse), slicing blade (fine + coarse), potato peeler blade, french fry blade, dicing blade, kneader, beater emulsifying disc, dough scraper, tool holder, motor cover, non-slip stand by suction feet
- Cable take-up on the base

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 425x425x255 mm

Art. no. 263 133
EAN 4 006 160 631 333 PU 2

CE

Food processor
KM 3352

- Powerful kitchen machine with 1000 watt motor
- 8 speed settings plus pulse
- Electronic power adjustment
- Timer
- LCD display, illuminated in blue
- Mixing vessel: 1.5 litre capacity, with scale and filling aperture
- Working container: 2.5 litre capacity, with scale and filling aperture
- High-quality, changeable utensils and work blades
- Accessories: scraper disc (fine + coarse), slicing blade (fine + coarse), potato peeler blade, french fry blade, dicing blade, kneader, beater emulsifying disc, dough scraper, tool holder, motor cover
- Safety circuit
- Non-slip stand by suction feet
- Cable take-up on the base

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 425x425x255 mm

Art. no. 263 163
EAN 4 006 160 631 630 PU 2

CE

Mincer
FW 2398

- Mincer combination device
- Mincer/juice extractor
- Metal cutter
- 2 stainless steel mincing disks
- Stainless steel cutter
- Multi-purpose grater with 3 different stainless steel accessories
- Cookie maker, stainless steel
- Sausage filler accessory
- Practical lemon squeezer accessory

- 230 V, 50 Hz, 250 W max.
- WxHxD approx. 290x330x140 mm



Art. no. 283 000
EAN 4 006 160 830 002 PU 4

CE

1000 Watt

Mincer
FW 3151

- Stainless steel insert
- Metal tube
- Metal filling tray
- Metal cutter
- 3 steel mincing disks
- Stainless steel cutter
- Reverse function
- Pastry attachment
- Sausage filler accessory
- Kebbe Attachment – Oriental Cuisine
- On/off switch

- 230 V, 50 Hz, 1000 W max.
- WxHxD approx. 195x350x330 mm

Art. no. 263 315
EAN 4 006 160 633 153 PU 4

CE

Universal mixer
UM 3334

- Universal mixer for pureeing, beating, chopping up, shaking, mixing
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- Ideal for the kitchen and bar
- Extra powerful 500 watt motor
- 4 level switch (0-1-2-impulse)
- Mixing bowl with 1.5 l capacity
- Lid with replenishing aperture
- Stainless steel blades
- Safety circuit – operation only possible with vessel in place
- Electrical lead take-up in the base
- Excellent stability through rubberised feet

- 230 V, 50 Hz, 500 W
- WxHxD approx. 220x400x150 mm

Art. no. 263 134
EAN 4 006 160 631 340 PU 4

CE

Stainless steel

Universal mixer
UM 3284

- Stainless steel universal mixer for pureeing, beating, chopping up, shaking, mixing
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- Ice crush function
- Ideal for the kitchen and bar
- Lid with replenishing aperture
- Cover for the filling aperture can also be used as a measuring beaker (2 cl)
- Powerful max. 550 watt motor
- 4 level switch (0-1-2-impulse)
- Stainless steel housing
- Rotary switch illuminated in blue
- Removable mixing vessel made of solid glass with 1.5 litre capacity (with scale)
- 6-fold stainless steel blade, rustproof
- Safety circuit – operation only possible with vessel in place
- Cable storage compartment in the base section
- All accessories are dishwasher-resistant
- Knife block removable for cleaning
- Excellent stability through rubberised feet

- 230 V, 50 Hz, 550 W max.
- WxHxD approx. 200x410x185 mm

Art. no. 263 115
EAN 4 006 160 631 159 PU 4

CE

Citrus fruit squeezer
ZP 3066

- Detachable bowl (1.0 litre) with aroma protective cover
- 2 press cones
- Automatic start/stop function by pressing juicer cone
- Automatic clockwise/anti-clockwise operation for optimal juice extraction
- Practical cable tidy

- 230 V, 50 Hz, 40 W
- WxHxD approx. 180x230x180 mm

Art. no. 262 988
EAN 4 006 160 629 880 PU 6

CE

Citrus fruit squeezer
ZP 3253

- 2 press cones
- Unobstructed juice outflow
- Automatic start/stop function by pressing juicer cone
- Automatic clockwise/anti-clockwise operation for optimal juice extraction
- Anti-drip function

- 230 V, 50 Hz, 25 W
- WxHxD approx. 155x210x155 mm

Art. no. 263 077
EAN 4 006 160 630 770 PU 6

CE

Automatic juice extractor
AE 2758

- Powerful 400 W motor
- Removable marc container
- Removable juice container
- On/Off switch
- Lock with safety switch
- Non-slip stand

- 230 V, 50 Hz, 400 W
- WxHxD approx. 250x320x160 mm

Art. no. 261 771
EAN 4 006 160 617 719 PU 4

CE

Stainless steel

Stainless steel

Stainless steel

Automatic juice extractor
AE 3353

- Fresh fruit and vegetable juices quickly prepared. Rich in vital substances for well-being, fitness and health
- 30% more juice and vitamins
- Extra-large feed tube (approx. 75 mm Ø)
- Whole apples, carrots and other fruit without cutting, in seconds Juice extracting
- Large volume pulp container (approx. 1,0 l capacity)
- Juice container (approx. 500 ml capacity)
- 2 speed settings for different fruit hardness plus pulse function
- Lock with safety switch
- Stainless steel micro-strainer for finest juices
- Can be completely taken apart for rapid and unproblematic cleaning
- Non-slip stand by suction feet

- 230 V, 50 Hz, 450 W
- WxHxD approx. 290x375x200 mm

75 mm large feed tube

Art. no. 263 164
EAN 4 006 160 631 647 PU 3

Automatic juice extractor
AE 3150

- Professional automatic juice extractor in a high-quality stainless steel housing
- Fresh fruit and vegetable juices quickly prepared
- Rich in vital substances for well-being, fitness and health
- 30% more juice and vitamins
- Extra large feed tube (75 mm Ø)
- Extract juice within seconds from whole apples, carrots and other fruits without the need for chopping
- Powerful 900 watt max. motor
- Large volume pulp container (approx. 2,0 l capacity)
- Unobstructed juice outflow
- 2 speeds
- Lock with safety switch
- Stainless steel micro-strainer for finest juices
- Can be completely taken apart for rapid and unproblematic cleaning
- suitable for dishwashers
- Non-slip fee

- 230 V, 50 Hz, 900 W max.
- WxHxD approx. 300x400x190 mm

Art. no. 263 009
EAN 4 006 160 630 091 PU 2

Kitchen scale / Kitchen balance
KW 2582 / KW 3366

KW 2582

- Easy-to-read large round display
- Round scale pan, removable for easy cleaning
- Weights up to 2 kg
- 10 g scaling
- Manual zero adjustment

- WxHxD approx. 140x160x170 mm

KW 3366

- Extra-flat digital kitchen scales
- Weighing surface made of high-quality glass
- Clearly legible LCD display
- Weights up to 5 kg, 1 g scaling
- Automatic switch off
- On/Off switch
- Tare function (additive weighed function)

- Battery-operated: 3 x AAA (batteries not supplied)
- WxHxD approx. 135x20x210 mm

Art. no. 271 467 (KM 2582)
EAN 4 006 160 714 678 PU 12
Art. no. 271 668 (KM 3366)
EAN 4 006 160 716 689 PU 6

Kitchen balance
KW 3367

- Extra-flat digital kitchen scales
- Weighing surface made of stainless steel
- Clearly legible LCD display
- Weights up to to 5 kg, 1 g scaling
- Adjustable measuring units: kg, g, lb, oz
- Automatic switch off
- On/Off switch
- Tare function (additive weighed function)

- Battery-operated: 2 x AAA (batteries not supplied)
- WxHxD approx. 150x20x180 mm

Art. no. 271 667
EAN 4 006 160 716 672 PU 6

Kitchen balance
KW 3412

- Extra-flat digital kitchen scales
- Weighing surface made of stainless steel
- Weights up to 5 kg, 1 g scaling
- Adjustable measuring units: kg, g, lb, oz
- Clearly legible LCD display, illuminated in blue
- Automatic switch off
- On/Off switch
- Tare function (additive weighed function)
- Hanging loop,

- Battery-operated: 3 x AAA (batteries supplied)
- WxHxD approx. 170x15x230 mm

Art. no. 271 680
EAN 4 006 160 716 801 PU 6

Kitchen balance
KW 3416

- Extra-flat digital kitchen scales with permanent clock und temperature information
- Stainless steel weighing surface
- Clearly legible, high-quality multifunction LCD display
- Weights up to 5 kg, 1 g scaling
- Adjustable measuring units: kg, g, lb, oz
- Automatic switch-off for weighing function
- On/Off switch
- Tare function (additive weighed function)

- Battery-operated: 3 x AAA (batteries supplied)
- WxHxD approx. 160x18x230 mm

Art. no. 271 683
EAN 4 006 160 716 832 PU 6

Food dryer
DR 2751

- Food dryer: dries fruit,vegetables, herbs, meat etc.
- Variable use through 5 stackable levels
- Circulating air blower, circulating air function
- Protected against overheating
- On/Off switch

- 230 V, 50 Hz, 250 W
- WxHxD approx. 285x160x315 mm

Art. no. 261 767
EAN 4 006 160 617 672 PU 4

CE

Can opener
DO 2852

- Ergonomically shaped handle
- “One-hand” operation
- Flexible magnet holder for lid of tin
- Removable blade
- Hanging loop

- 230 V, 50 Hz, 25 W
- WxHxD approx. 210x90x110 mm

Art. no. 262 894
EAN 4 006 160 628 944 PU 6

CE

Bag sealer
FS 3261

- Ideal for dividing food into portions
- Electronically controlled bag sealer
- Seals and separates in one operation
- Strong extraction pump
- With bag storage view window
- 2 indicator lights
- Cord storage in base
- Including a roll of film (3 m)

- 230 V, 50 Hz, 100 W
- WxHxD approx. 330x80x125 mm

- **Spare rolls:**
  Art. no. 282 020
  EAN 4 006 160 820 201 PU 10
  Art. no. 8900 216
  EAN 4 006 160 900 217 PU 10

Art. no. 263 083
EAN 4 006 160 630 831 PU 6

CE

2in1

Fondue deep fat pan
FFR 2916

- Cool-touch housing
- Capacity 1 litre
- Continuously variable thermostat
- Control panel with display
- Overheating protection
- Deep frying basket with removable handle
- 6 fondue forks marked in colour Protective ring against spray/fork holder
- Changeable odour and fumes filter

- 230 V, 50 Hz, 900 W
- WxHxD approx. 190x240x190 mm

Art. no. 282 232
EAN 4 006 160 822 328 PU 4

CE

Deep fryer
FR 3390

- Cool-touch housing
- Capacity 2 litre of oil/frying fat
- oil container, with non-stick coating
- On/Off switch (0-1)
- Adjustable thermostat with LED
- 130–190 °C
- Large frying basket; can be raised or lowered with the lid closed
- pop-up lid with viewing window, removable
- Changeable odour and fumes filter
- collecting vessel for condensation
- 2 pilot lights for power and heating
- 2 recessed grips for safe transport

- 230 V, 50 Hz, 1800 W
- WxHxD approx. 245x260x320 mm

Art. no. 263 180
EAN 4 006 160 631 807 PU 2

CE

Deep fryer
FR 2881

- Capacity 2.2 litre
- 2 pilot lights
- Large frying basket
- Infinitely adjustable thermostat with pilot light
- 130–190 °C
- Spring lid, removable
- Changeable odour and fumes filter

- 230 V, 50 Hz, 1600 W max.
- WxHxD approx. 270x230x280 mm

Art. no. 282 868
EAN 4 006 160 828 689 PU 2

CE



Removable oil container

Deep fryer
FR 3391

- "Cool-Touch" housing
- Capacity 2.5 l of oil/frying fat
- Removable oil container, non-stick coated
- Large frying basket; can be raised or lowered with the lid closed
- Adjustable thermostat with LED
- 130–190 °C
- pop-up lid with viewing window, removable
- Changeable odour and fumes filter
- On/Off switch (0-1)
- 2 pilot lights for power and heating
- 2 recessed grips for safe transport
- Automatic cable rewind on the back

- 230 V, 50 Hz, 1800 W
- WxHxD approx. 280x275x320 mm

Art. no. 263 181
EAN 4 006 160 631 814 PU 2



Stainless steel

Deep fryer
FR 3254

- Heating coils immersed directly in the oil for rapid heating and for odorless frying
- Housing, lid, heating coil made of stainless steel
- Removable fat container, enamelled
- Capacity 3 litre of oil/frying fat
- 2 control lamps
- Safety cut-out

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 240x230x370 mm



Art. no. 271 569
EAN 4 006 160 715 699 PU 2



Stainless steel

Deep fryer
FR 3255

- Heating coils immersed directly in the oil for rapid heating and for odorless frying
- Housing, lid, heating coil and fat container made of stainless steel
- Fat container and heating coil removable
- Capacity 3 litre of oil/frying fat
- Changeable odour and fumes filter
- 2 pilot lights for power and heating
- Overheating protection
- Cord storage

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 240x230x370 mm



Art. no. 263 078
EAN 4 006 160 630 787 PU 2



Stainless steel

Double deep fat fryer
FR 3195

- Professional double deep fat fryer with 2 baskets and one large frying basket for various types of food
- Cool-zone technology – heating element directly in the fat for rapid heating and low-odour deep fat frying
- Housing, lid, heating coil made of stainless steel
- Splash guard lid with filter
- Removable fat container, enamelled
- Capacity 4 litre of oil/frying fat
- 2 pilot lights for power and heating
- Continuously adjustable thermostat up to 190 °C
- Safety cut-out

- 230 V, 50 Hz, 2x2000 W
- WxHxD approx. 227x375x385 mm





Art. no. 273 531
EAN 4 006 160 735 314 PU 2



2in1 **Stainless steel**

Rice boiler
RK 3309

- 2 in 1 – rice boiler and steam cooker in one
- Stainless steel rice boiler for easy preparation and keeping warm all types of rice, pulses, soups, cereals
- Additional aluminium steamer insert
- Energy saving – 45% time savings in comparison to conventional hotplates
- Safety glass lid with steam outlet
- Removable, non-stick-coated part (approx. 1.5 kg unboiled rice / 5 l water max.)
- Quantity min. (uncooked): 280 g
  provides (cooked): 550 g
  Quantity max. (uncooked): 1.5 kg
  provides (cooked): 2.5 kg
- Automatic keep warm mode when cooking has finished
- Automatic switch off, energy saving
- „Cool-Touch" handles
- Removable supply cable
- Safety function: can only be switched on when pot is in position
- 2 control lamps for cooking and keeping warm
- Accessories: rice spoon, measuring beaker (160 ml max.)

- 220–240 V, 50 Hz, 700 W
- WxHxD approx. 315x320x273 mm

Art. no. 263 109
EAN 4 006 160 631 098 PU 4



Rice boiler
RK 2925

- Simple preparation and keeping warm of all types of rice without burning
- Heat-insulated "Cool-Touch" housing
- Folding lid with "Cool-Touch" handle and handle recess
- Removable, non-stick coated pot (approx 5 litre)
- For max. 1250 g of rice (uncooked weight)
- Automatic keep warm mode when cooking has finished
- Also with steam basket for vitamin-retaining steam cooking
- Removable supply cable
- Control lamp
- Accessories: measuring beaker, rice spoon

- 230 V, 50 Hz, 700 W max.
- WxHxD approx. 260x310x260 mm

Art. no. 251 103
EAN 4 006 160 511 031 PU 4

Marmalade/ Jam program

With wholemeal program

Automatic bread baking machine BBA 3364

- Fully automatic dough and bread preparation (kneading, rising, baking)
- Removable non-stick coated baking form
- 2 litre capacity (corresponds to about 1000 g bread)
- 12 baking programs
  47 possible combinations
- Programs:
  Normal, White bread, Wholemeal bread, Fast, Sweet bread, Ultrafast 1, Ultrafast 2, Dough, Jam/Marmalade, Cake, Sandwich, Baking
- Quick bake function
- Extra bake function
- Electronic control panel with backlit LCD display and audible alarm
- 13 hour timer
- Variably settable dough quantity
- Variable crust browning control (light, medium, dark)
- Warming function
- "Cool-Touch" housing
- Lid with viewing window

- 230 V, 50 Hz, 600 W
- WxHxD approx. 270x290x350 mm

Art. no. 263 158
EAN 4 006 160 631 586 PU 2

CE GS

Marmalade/ Jam program

With wholemeal program

Automatic bread baking machine BBA 2865

- Fully automatic dough and bread preparation
- Removable non-stick coated baking form
- 3 litre capacity
  (approx. 1300 g bread)
- 2 kneading pegs
- 9 baking programs
  31 possible combinations
- Programs:
  White bread, Wholemeal bread, Quick baking, Leavened pastries, Basis, Cakes, Knead only, Bake only, Sandwich
- Marmelade program
- "Cool-Touch" housing
- Electronic control panel with LCD display and audible signal
- Variable crust browning control
- Variably settable dough quantity
- Quick bake function
- Warming function
- Timer
- Lid with window
- Acessories: Measuring beaker and spoon

- 230 V, 50 Hz, 800 W
- WxHxD approx. 400x290x260 mm

Art. no. 262 898
EAN 4 006 160 628 982 PU 2

CE GS

Marmalade/ Jam program

With wholemeal program

Automatic bread baking machine BBA 3365

- Stainless steel housing
- Fully automatic dough and bread preparation (kneading, rising, baking)
- Removable non-stick coated baking form
- 2 litre capacity (corresponds to about 1000 g bread)
- 11 baking programs
  34 possible combinations
- Programs:
  Wholemeal, Jam/Marmalade, Fast
- Electronic control panel with LCD display and audible signal
- blue illuminated liquid crystal display
- 13 hour timer
- Variably settable dough quantity
- Variable crust browning control (light, medium, dark)
- Warming function
- Removable lid with window

- 230 V, 50 Hz, 700 W
- WxHxD approx. 360x305x255 mm

Art. no. 263 159
EAN 4 006 160 631 593 PU 2

CE GS

Steam cooker DG 3235

- Steam cooker for the healthy cooking of food without burning vitamins
- 3 steam cooker containers (1 lid, 1 rise bowl)
- 60-minute timer
- Drip bowl for the collection of juices
- Semi-transparent water tank, 1.6 l
- Water replenishable during operation
- Water level indicator
- Overheating protection
- Easy to clean

- 230 V, 50 Hz, 750 W max.
- WxHxD approx. 300x420x210 mm

Art. no. 251 109
EAN 4 006 160 511 093 PU 4

CE GS

2in1

Hot Dog Maker HDM 3420 EK

- 2 in 1 – Hot dog maker and egg boiler in one
- For 1 to 14 small sausages (e. g. "Frankfurter", "Vienna sausages ")
- Heated stainless steel skewer
- Preparation of up to 6 eggs
- Removable egg holder
- Non-stick coated water bowl
- Transparent steam tank, removable
- 4-level selector:
  0 = Off, 1 = Steamer, 2 = Skewer
  3 = Steamer + skewer
- Indicator lamp
- Incl. measuring cup with egg pricker

- 230 V, 50 Hz, 350 W
- WxHxD approx. 235x270x160 mm

2in1
Hot Dog Maker
&
Egg boiler

Art. no. 251 136
EAN 4 006 160 511 369 PU 6

CE GS

Contact grill KG 3159

- 2000 Watts
- Fat-free preparation
- Short cooking times
- Grilling plates with non-stick coating
- Easy to clean
- Large grilling surface 24 x 29,5 cm

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 360x320x105 mm

Art. no. 262 696
EAN 4 006 160 626 964 PU 3

CE GS



Multi Teppan Yakigrill
TYG 3027

- Japanese-style grilling at the table, healthy and low in calories
- Fat free, odourless and clean
- Ideal for roasting, cooking and braising fish, meat and vegetables
- Continuously adjustable thermostat
- Chrome plated handles
- Drainage channel for excess fat
- Removable easy-to-clean drip tray
- Non-stick coated plate retains and distributes the heat perfectly
- Easy to clean
- Safe base

- 230 V, 50 Hz, 2000 W
- WxHxD ca. 430x125x220 mm

● **Art. no. 271 553**
EAN 4 006 160 715 538 PU 4
CE

Party pan
PP 3401

- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Ø 32 cm, depth: 3.5 cm
- Quick heating and long keep warm function
- Anti-stick pan for easy cleaning
- Heat resistant glass lid with handle
- Heat insulated carrying handles
- Removable supply line with continuously adjustable thermostat

- 230 V, 50 Hz, 1500 W
- WxHxD approx. 380x160x400 mm

○ **Art. no. 251 129**
EAN 4 006 160 511 291 PU 4
CE

Party pan
PP 2914

- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Ø 38 cm, depth: 4.0 cm
- Quick heating and long keep warm function
- Anti-stick pan for easy cleaning
- Heat resistant glass lid with handle
- Heat insulated carrying handles
- Removable supply line with continuously adjustable thermostat

- 230 V, 50 Hz, 1400 W
- WxHxD approx. 450x140x400 mm

● **Art. no. 251 102**
EAN 4 006 160 511 024 PU 2
CE

Party pan
PP 3410

- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Approx. 30 x 30 cm, depth: 5 cm
- Quick heating and long keep warm function
- Anti-stick pan for easy cleaning
- Heat resistant glass lid with handle
- Heat insulated carrying handles
- Removable supply line with continuously adjustable thermostat

- 230 V, 50 Hz, 1500 W
- WxHxD approx. 415x175x300 mm

● **Art. no. 251 131**
EAN 4 006 160 511 314 PU 4
CE

Party pan
PP 3411

- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Approx. 37 x 30 cm, depth: 8 cm
- Quick heating and long keep warm function
- Anti-stick pan for easy cleaning
- Heat resistant glass lid with handle
- Heat insulated carrying handles
- Removable supply line with continuously adjustable thermostat

- 230 V, 50 Hz, 1500 W
- WxHxD approx. 490x190x310 mm

● **Art. no. 251 132**
EAN 4 006 160 511 321 PU 2
CE

Pizza/Party pan
PP 3402

- Pizza/party pan for boiling, frying, steaming, defrosting, keeping warm and making pizzas
- Ø 36 cm, depth: 3.5 cm
- Quick heating and long keep warm function
- Anti-stick pan for easy cleaning
- Heat resistant glass/metal lid with handle
- Heat insulated carrying handles
- Removable supply line with continuously adjustable thermostat

- 230 V, 50 Hz, 1500 W
- WxHxD approx. 430x160x360 mm

● **Art. no. 251 130**
EAN 4 006 160 511 307 PU 4
CE



8

Raclette grill
RG 3090

- For grilling and browning
- Removable grill plate
- 8 pans
- 8 wooden spatulas
- Non-stick coating on the grill plates and pans
- Easy to clean
- Continuously adjustable thermostat
- Heat insulated carrying handles
- Safe base

- 230 V, 50 Hz, 1200 W
- WxHxD approx. 480x120x315 mm

Art. no. 263 004
EAN 4 006 160 630 046 PU 3

8

Raclette grill
RG 2892

- For grilling and browning
- Removable grill plate
- Removable hot stone
- 8 pans
- Non-stick coating on the grill plates and pans
- Easy to clean
- Continuously adjustable thermostat with LED

- 230 V, 50 Hz, 1300 W
- WxHxD approx. 520x130x250 mm

Stiftung Warentest
test
GUT (2,4)
Im Test
16 Raclettegeräte mit Grill
Ausgabe
01/2006

Art. no. 262 915
EAN 4 006 160 629 156 PU 3

Electric grill lighter
EGA 3404

- Electric grill lighter for the safe ignition of grilling charcoal and charcoal briquettes
- No chemicals, no smells
- For clean, fast grilling enjoyment
- Minimum smoke levels
- Barbecue fire ignited in about 10 minutes
- Simple operation
- Large ignition surface with 3 filaments
- Includes depositing aid (wall installation possible)
- Heat insulated handle, ergonomically designed
- Easy to clean

- 220–240 V, 50/60 Hz, 800 W
- WxHxD approx. 200x75x510 mm

Art. no. 271 676
EAN 4 006 160 716 764 PU 6

Barbecue standing grill
BQS 2850

- Stylish stand grill for barbecues without fire and smoke
- Continuously adjustable thermostat with control lamp
- Height-adjustable, chromed grill grid
- Enamelled housing and wind screen
- Removable grill and heating elements for easy cleaning
- Metal drip tray
- Wind protection
- Middle shelf
- Can be converted to a table grill
- Grill surface: 45x23 cm

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 570x760x360 mm

Art. no. 262 888
EAN 4 006 160 628 883 PU 4

Barbecue table grill
BQ 2849

- Stylish table grill for barbecues without fire and smoke
- Continuously adjustable thermostat with control lamp
- Height adjustable, chromed grill grid
- Enamelled housing
- Removable grill and heating elements for easy cleaning
- Metal drip tray
- Grill surface: 45x23 cm

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 575x100x400 mm

Art. no. 262 887
EAN 4 006 160 628 876 PU 4

Barbecue table grill
BQ 2977 N

- Stylish table grill for barbecues without fire and smoke
- “Cool-Touch” housing
- On/Off switch with indicator lamp
- Removable grill and heating elements for easy cleaning
- Metal drip tray
- Grill surface: 35,5x24,5 cm

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 480x100x360 mm

Art. no. 262 952
EAN 4 006 160 629 521 PU 4

2in1
Buffet Warmer
&
Hotplate

Buffet warmer/Hotplate
BW 3415

- 2-in-1 stainless steel buffet warmer and hotplate with 3 stainless steel warming inserts and 3 covers (contents: 2 litre each)
- Versatile use (brunch, buffet, plate warmer etc.)
- Heating surface made of out brushed stainless steel, approx. 53 x 35 cm
- 400 watt
- Desired temperature continuously adjustable
- Insulated handles
- Overheating protection
- On/Off switch
- Indicator light for heating
- Rubberised feet for non-slip stability

- 230 V, 50 Hz, 400 W
- WxHxD approx. 645x185x380 mm

Without decoration

Art. no. 271 682
EAN 4 006 160 716 825 PU 2

CE

Mini kitchen
KK 3423

- Stainless steel housing
- 2 hotplates
- 1 x Ø 18.5 cm, 1500 W
- 1 x Ø 15.5 cm, 920 W
- 2 different operating controls for the hotplates:
- Small – rotary switch levels 0–6
- Large – rotary switch levels OFF and 850–1500 W
- 26 litre capacity
- Combined operation (baking and cooking at the same time)
- Top and bottom heat (900/600 W)
- Possible baking/grilling alternatives:
  – top and bottom heat
  – only bottom heat
  – top heat
- Infinitely adjustable thermostat
- Oven door with viewing window
- Indicator lamp
- Including grill grating, baking sheet, and crumbs drawer, as well as hookable handle for pulling out the sheet/grating
- Power Supply: 230 V, 50 Hz
- Power input: 600 W oven (bottom heat), 900 W oven (top heat), 920 W hotplate (small), 1500 W hotplate (large), 3320 W (total power consumption)

- 230 V, 50 Hz, 3320 W
- WxHxD approx. 515x360x390 mm

Art. no. 251 137
EAN 4 006 160 511 376 PU 1

CE

Pizza oven
PO 3342

- Pizza oven including pizza baking tray (24 x 24 cm)
- 12 litre capacity
- Top and bottom heat, combined operation possible
- Ideal for grilling and crisping up
- 15-minute timer with end signal
- Overtemperature protection
- 4-level switch (top heat, bottom heat, combined, off)
- 2 quartz heating elements
- Includes grill grid
- Drawer for crumbs

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 405x320x233 mm

Art. no. 251 117
EAN 4 006 160 511 178 PU 4

CE



Mini table oven
MB 3341

- 8 litre capacity
- Top and bottom heat, combined operation possible
- 15-minute timer
- 2 quartz heating elements
- Slide-out shelf
- Crumb tray
- Large viewing window
- Overtemperature protection

- 230 V, 50 Hz, 800 W
- WxHxD approx. 360x220x230 mm

Art. no. 251 116
EAN 4 006 160 511 161 PU 4
Art. no. 251 115
EAN 4 006 160 511 154 PU 4

CE

Mini table oven with grill and convection MBG 3113

- 26 litre capacity
- 1600 Watts
- circulating air
- Revolving spit
- Self-cleaning coating
- Top and bottom heat
- 60-minute timer with end signal
- 4 level switch (Top/Bottom/Top and Bottom Heat/Off)
- Variable temperatur control (50–250 °C)
- Includes grill grid, baking tray
- Includes tongs for removing the grill grid and baking tray
- Large viewing window
- Indicator light

- 230 V, 50 Hz, 1600 W
- WxHxD approx. 530x420x360 mm

○ **Art. no. 271 586**
EAN 4 006 160 715 866 PU 1

CE GS

Microwave MW 781

- 700 watt microwave
- 5 levels
- 20 litre capacity
- Rotating plate, Ø approx. 25,5 cm
- 35-minute timer with end signal
- Oven light
- Large viewing window

- 230 V, 50 Hz, 1050 W
- WxHxD approx. 440x255x340 mm

○ **Art. no. 253 132**
EAN 4 006 160 531 329 PU 1

CE GS

2in1

Microwave with grill MWG 782

- 700 watt microwave
- 1000 watt grill
- 17 litre capacity
- 3 levels in combined operation microwave/grill
- 5 microwave power levels
- 1 grill level
- 2 quartz heating elements
- Rotating plate: Ø approx. 24,5 cm
- Grilling grid: Ø approx. 21,0 cm
- 35-minute timer with end signal
- Oven light
- Large viewing window

- 230 V, 50 Hz, 1050 W
- WxHxD approx. 440x255x340 mm

○ **Art. no. 253 133**
EAN 4 006 160 531 336 PU 1
● **Art. no. 253 134**
EAN 4 006 160 531 343 PU 1

CE GS

2in1 **ELECTRONIC**

Microwave with grill MWG 784

- 700 watt microwave
- 1000 watt grill
- 20 litre capacity
- 2 combination programs
- 5 microwave power levels
- 1 grill level
- 8 automatic programmes
- Defrost programme with 3 automatic programmes
- Express/quick-start program
- 95-minute timer with end signal
- Digital clock
- Child lock
- Rotating plate: Ø approx. 25,5 cm
- Grilling grid: Ø approx. 21,0 cm
- Oven light
- Large viewing window
- Easy Tronic

- 230 V, 50 Hz, 1050 W
- WxHxD approx. 435x255x335 mm

● **Art. no. 253 136**
EAN 4 006 160 531 367 PU 1

CE GS

Stainless steel **2in1**

Microwave with grill MWG 783 E

- Stainless steel housing
- 700 watt microwave
- 1000 watt grill
- 20 litre capacity
- 3 levels in combined operation microwave/grill
- 5 microwave power levels
- 1 grill level
- Rotating plate: Ø approx. 25,5 cm
- Grilling grid: Ø approx. 21,0 cm
- 35-minute timer with end signal
- Oven light
- Large viewing window

- 230 V, 50 Hz, 1050 W
- WxHxD approx. 435x255x355 mm

● **Art. no. 253 135**
EAN 4 006 160 531 350 PU 1

CE GS

Stainless steel **3in1**

Microwave with grill and convection MWG 775 H

- 23 litre capacity
- 800 watt microwave
- 1200 watt grill
- 1200 watt convection
- 4 microwave power levels
- 10 temperature settings for convection
- 1 grill level
- 3 levels in combined operation microwave/grill
- 10 levels in combined operation microwave/convection
- 9 automatic programmes
- Defrost program
- 95-minute timer with end signal
- Digital clock
- Child lock
- Quartz heating elements
- Rotating plate: Ø approx. 27,0 cm
- Grilling grid: Ø approx. 22,0 cm
- Stainless steel housing
- Reflecting glass front
- Oven light

- 230 V, 50 Hz, 1300 W
- WxHxD approx. 485x295x405 mm

○ **Art. no. 253 126**
EAN 4 006 160 531 268 PU 1

CE GS

Stainless steel **3in1**

Microwave with grill and convection
MWG 776 H

- 25 litre capacity
- 900 watt microwave
- 1400 watt grill
- 2400 watt hot air
- 5 microwave power levels
- 10 temperature settings for hot air
- 1 grill level
- 4 levels in combined operation grill/microwave
- 10 automatic programmes
- Defrost program
- Fast-start program
- 95-minute timer with end signal
- Digital clock
- Child lock
- Rotating plate: Ø approx. 31,5 cm
- Grilling grid: Ø approx. 28,0 cm
- Stainless steel housing
- Stainless steel interior
- Oven light

- 230 V, 50 Hz, 1500 W
- WxHxD approx. 415x305x465 mm

Art. no. 253 128
EAN 4 006 160 531 282 PU 1

CE

Stainless steel **4in1**

1700 watt
double grill

Double-grill microwave
MWG 779 H

- 25 litre capacity
- Double grill, e.g. crispy pizza, baguettes, soufflés, etc. (1200 W top heat, 500 W lower heat)
- Quartz top heating element
- 900 watt microwave
- 1700 W double grill
- 2300 W convection
- Incl. pizza program and pizza stone: Ø approx. 25,5 cm
- Incl. enamelled rotating platea, dishwasher-safe and scratchproof: Ø approx. 31,5 cm
- Grilling grid: Ø approx. 28,0 cm
- 5 microwave power levels
- 10 temperature settings convection
- 10 automatic programmes
- Defrost program
- Fast-start program
- 95-minute timer with end signal
- Digital clock
- Child lock
- Stainless steel housing
- Stainless steel interior
- Oven light

- 230 V, 50 Hz, 1450 W
- WxHxD approx. 510x300x430 mm

Pizza function
incl. pizza stone

Art. no. 253 131
EAN 4 006 160 531 312 PU 1

CE

Stand-alone/Under-cabinet mounting

Combined microwave oven with grill
MWG 777 U

- 20 litre capacity
- 800 watt microwave
- 1000 watt grill
- 5 microwave power levels
- 3 levels in combined operation
- 1 grill level
- 30-minute timer with end signal
- Rotating plate: Ø approx. 24,5 cm
- Grilling grid: Ø approx. 21,0 cm
- Oven light
- Large viewing window
- Can be positioned as required or used as a built-under appliance (including installation material)

- 230 V, 50 Hz, 1250 W
- WxHxD approx. 461x365x280 mm

Built-under appliance

Art. no. 253 129
EAN 4 006 160 531 299 PU 1

CE

Stand-alone/Under-cabinet mounting

Combined microwave oven with grill
MWG 778 U

- 20 litre capacity
- 800 watt microwave
- 1000 watt grill
- 8 automatic programs
- 5 microwave power levels
- 2 levels in combined operation
- 1 grill level
- Defrost programs, selectable according to time and weight
- Fast-start program
- 95-minute timer with end signal
- Easy Tronic
- Digital clock
- Child lock
- Rotating plate: Ø approx. 24,5 cm
- Grilling grid: Ø approx. 21,0 cm
- Fine steel front
- Oven light
- Large viewing window
- Can be positioned as required or used as a built-under appliance (including installation material)

- 230 V, 50 Hz, 1250 W
- WxHxD approx. 461x385x280 mm

Built-under appliance

Art. no. 253 130
EAN 4 006 160 531 305 PU 1

CE

2in1

Built-in microwave with grill
MWG 2215 EB

■ Built-in microwave with frame ■ 20 litre capacity ■ 800 watt microwave ■ 1000 watt grill ■ 5 microwave power levels ■ 1 grill level ■ 2 levels in combined operation grill/microwave ■ Defrost programs, selectable according to time and weight ■ 8 automatic programmes ■ 95-minute timer with end signal ■ Child lock ■ Rotating plate, Ø approx. 24.5 cm ■ Grilling grid, Ø approx. 21 cm ■ Oven light ■ Fine steel front ■ Stainless steel interior ■ 230 V, 50 Hz, 1250 W ■ Dimensions and weights: appliance dimensions: 465x359x339 mm (WxHxD), with frame: 596x384x339 mm (WxHxD) ■ Weight: approx. 14 kg



Art. no. 622 151
EAN 4 004 470 221 510 PU 1

CE

Built-in microwave with grill and convection
MWG 2216 H EB

■ Built-in microwave with frame ■ 25 litre capacity ■ 900 watt microwave ■ 1400 watt grill ■ 2400 W hot-air function ■ 5 microwave power levels ■ 1 grill level ■ 2 levels in combined operation grill/microwave ■ 2 levels in combined operation hot air/microwave ■ 10 temperature settings for hot air (140–230 °C) ■ Defrost program ■ 10 automatic programmes ■ Quick-start programme ■ 95-minute timer with end signal ■ Child lock ■ Rotating plate, Ø approx. 31,5 cm ■ Grilling grid, Ø approx. 27,5 cm ■ Oven light ■ Fine steel front ■ Stainless steel interior ■ 230 V, 50 Hz, 1450 W ■ Dimensions and weights: appliance dimensions: 513x346x460 mm (WxHxD), with frame: 595x470x460 mm (WxHxD) ■ Weight: approx. 21 kg



Art. no. 622 161
EAN 4 004 470 221 619 PU 1

CE

Alcohol tester
AT 3260

- Alcohol tester in an attractive design
- Measurement standby function
- 2 digital LCD displays
- Display in parts per thousand from 0.0 ‰ – 1.9 ‰ and BAC – blood alcohol concentration from 0.00 % – 0.19 %
- Acoustic warning at 0.2 ‰ and 0.5 ‰ / 0.02 % and 0.05 %
- Temperature display in °C and °F
- Countdown function
- Clock with alarm function
- Automatic switch off, prolongs battery life
- Low weight
- Incl. carrying strap

- Battery-operated: 2 x AAA, 1 x AG 13 button cell (batteries supplied)
- WxHxD approx. 37x100x17 mm

Art. no. 271 649
EAN 4 006 160 716 498 PU 12

CE

Slow cooker
EKA 3338

- 1800 watt
- 25 litre tank capacity for up to 14 jars
- Enamelled housing, scratch resistant
- Closed pot bottom
- Concealed stainless steel heating element
- Variable temperatur control (30–100 °C)
- Overheating protection
- Indicator light
- Integrated drain tap for practical filling of mulled wine, punch or other hot drinks, for example
- Hard-wearing enamel, tasteless
- Grid insert
- Plastic handles, heat insulated

- 230 V, 50 Hz, 1800 W
- WxHxD approx. 455x495x435 mm

Art. no. 263 135
EAN 4 006 160 631 357 VE 1

CE

Hotplate
EKP 3405

- Hotplate, Ø approx. 180 mm
- 1500 watts
- Infinitely adjustable thermostat
- Indicator light
- Heat resistant finish
- Sturdy design

- 230 V, 50 Hz, 1500 W
- WxHxD approx. 245x70x285 mm

Art. no. 271 674
EAN 4 006 160 716 740 PU 4

CE

SCHOTT CERAN®
German Glass Ceramic

Double hotplate
DKP 3406

- 2 hotplates
- 1 x Ø approx. 180 mm, 1500 watt
- 1 x Ø approx. 150 mm, 1000 watt
- 2 continuously variable thermostats
- 2 control lamps
- Heat resistant finish
- Sturdy design

- 230 V, 50 Hz, 2500 W
- WxHxD approx. 460x70x285 mm

Art. no. 271 675
EAN 4 006 160 716 757 PU 3

CE

Single induction cooking plate
EKI 3438

- Heating takes only seconds thanks to induction technology
- Non-scratch glass cooking plate – Schott Ceran® hob
- 55 % time savings compared to conventional cooking plates
- No pre-heating phase – Energy saving mode
- Automatic pot detection – Automatic switch off in the case of non-induction pots
- Select from 9 power stages
- Electronic control panel with LED display
- Easy operation due to large buttons
- Power indicator in the display
- 199 min. timer with automatic switch off and beep on completion
- Automatic switch off after 120 min. without operation
- Automatic switch off 45 seconds after removal of the pot
- Indicator light
- Non-slip feet
- 230 V, 50 Hz, 2000 W
- WxHxD approx. 382x360x65 mm

Art. no. 263 570
EAN 4 006 160 635 706 PU 2

CE

Double induction hotplate
DKI 3184

- Heating takes only seconds thanks to induction technology
- 55 % time savings compared to conventional hotplates
- No pre-heating phase, electronic control panel with LED display
- Non-slip feet
- Automatic signal in the case of non-induction pots
- 2x 2 cooking functions
- 2x 10 selectable temperature levels (60–240 °C per hotplate)
- Select from 2x 10 power stages (800 –1400/1900 watt per hotplate)
- Burner with ceramics surface
- 2x 4 Indicator lights, timer

- 230 V, 50 Hz, 3300 W
- WxHxD approx. 575x65x350 mm

Art. no. 273 550
EAN 4 006 160 735 505 PU 2

CE



2in1

Travelling steam iron/Steam brush DB 3108 B

- Variable temperature control, suitable for all types of fabric
- Open turning handle
- Indicator light
- Non-stick-coated sole plate
- Combined attachment: fluff removal and brushes
- Vertical steam function for smothing hanging textiles
- Transparent water container (approx. 30 ml)

- 230 V, 50 Hz, 800 W
- WxHxD approx. 185x226x128 mm

Art. no. 263 531
EAN 4 006 160 635 317 PU 12

CE

Steam iron

DB 2988

- With spray device
- Special steel sole plate
- Variable temperature control
- 3-level steam control
- Dry function (steam can be switched off)
- Steam jet function and vertical steam
- Transparent water container
- Indicator light

- 230 V, 50 Hz, 1600 W max.
- WxHxD approx. 245x140x110 mm

Art. no. 263 514
EAN 4 006 160 635 140 PU 6

Steam iron

DB 3105

- Special steel sole plate
- Steam jet function
- Spray device and vertical steam
- Practical self-cleaning function
- Dry function (steam can be switched off)
- Variable temperatur control
- 3-level steam control
- Transparent water container
- Cable attached via 360° turnable joint
- Indicator light

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 275x155x115 mm

Art. no. 263 528
EAN 4 006 160 635 287 PU 6

Steam iron

DB 3399

- Special steel sole plate
- Anti-calc filter system
- Steam jet function, spray device and vertical steam
- Practical self-cleaning function
- Variable temperature control
- Steam control
- Transparent water container
- Cable attached via 360° turnable joint

- 220-240 V, 50 Hz, 2200 W
- WxHxD approx. 290x155x115 mm

Art. no. 263 194
EAN 4 006 160 631 944 PU 6

Ceramic

Steam iron

DB 3329

- Scratch-resistant ceramic sole plate with outstanding sliding behaviour
- Anti-calc filter system
- Anti-drip function
- Steam jet function, spray device and vertical steam
- Self-cleaning function, switchable
- Dry function (steam can be switched off)
- Variable temperature control
- Continuous steam quantity adjustment
- Transparent water container (approx. 320 ml)
- Rubberised handle for non-slip handling
- Rubberised rest for excellent stability
- Indicator light
- Cable attached via 360° turnable joint

- 220-240 V, 50 Hz, 2500 W
- WxHxD approx. 125x155x310 mm

Art. no. 263 132
EAN 4 006 160 631 326 PU 6

Steam iron

DB 3106

- Steam jet function, spray device and vertical steam
- Practical self-cleaning function
- Anti-calc system
- Special steel sole plate
- Anti-drip function
- Variable temperature control
- Steam control
- Drying function
- Transparent water container
- Open, rubberised handle
- Indicator light
- Cable attached via turnable joint

- 230 V, 50 Hz, 2500 W
- WxHxD approx. 280x124x144 mm

Art. no. 263 529
EAN 4 006 160 635 294 PU 6

2in1
Also cordless useable

Ceramic

Steam iron

DBC 3388

- Scratch resistant ceramic sole plate with outstanding sliding behaviour
- Steam iron, cordless
- 10 different functions:
  Used without a cord, Dry ironing (steam can be switched off), Steam ironing, Steam jet, Vertical steam, 3-level steam setting, Spray function, Anti-calc filter system, Anti-drip function, Practical self-cleaning function
- Variable temperature control
- Transparent water container (approx. 220 ml)
- Includes table attachment for stability and one-handed operation
- Rubberised handle for non-slip holding
- Indicator light

- 220-240 V, 50 Hz, 2000 W
- WxHxD approx. 290x245x130 mm

Easy running, scratch resistant ceramic sole plate

Art. no. 263 172
EAN 4 006 160 631 722 PU 4

Electronic



Detachable 1,2 l capacity water tank



Vertical steam ironing for hanging clothes

Gentle and effective method for removing creases from fabrics

Steam iron with board
DBC 3318

- Professional Steam Ironing Unit:
- Non-slip cork handle
- Special steel sole plate
- Steam jet function, spray device and vertical steam
- Anti-drip function
- Dry function (steam can be switched off)
- Continuous temperature control and steam quantity regulation
- Transparent water container
- Indicator light
- Cable feed via tilting joint
- Ironing board: professional ironing table for easy and perfect ironing
- Compact frame and rubberised feet for reliable stability
- Flexible antenna for cable routing
- Hard-wearing cover with non-stick coating and heat resistant
- Foam cushion, approx. 7 mm, extra-thick energy saving ironing
- Large heat resistant iron rest
- Rest with protective frame and silicone stoppers allows the iron to be deposited gently and safely
- Extra-large ironing surface (approx. 122 x 38 cm)
- Height: approx. 89.5 cm
- Dining table with 10 adjustable heights from approx. 47.5 to 89.5 cm

- 230 V, 50 Hz, 2000 W
- WxHxD DB approx. 265x170x125 mm
- WxHxD BT approx. 525x380x157 mm

● **Art. no. 283 026**
EAN 4 006 160 830 262 PU 3

CE for the iron

Steam ironing unit
DBS 3355

- Stainless steel special base plate for consistently high resistance to heat and optimum steam generation
- Steam jet function (horizontal)
- 3.5 bar steam pressure
- Transparent removable water tank (1.4 litre capacity), sufficient for approximately 84 minutes of operation on average.
- Permanent refill function – refilling the water tank during operation is possible.
- Constant high steam pressure
- 2 steam buttons, 1 button with locking function
- Convenient soft touch insert on the handle
- Electronic buttons, white backlight with key tones
- Stainless steel insert
- Continuously adjustable temperature control
- Illuminated On/Off switch
- Control lamps for water level and pressure
- Steam jet function: 70 g/min max.
- Consistent steam discharge
- Ready to operate in approx. 1.5 min.
- Long connection cable
- Includes filler funnel
- Up to 50% time savings compared to conventional steam irons

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 220x260x290 mm

● **Art. no. 263 154**
EAN 4 006 160 631 548 PU 2

CE

Fabric steamer
TDC 3432

- Steamer for steam ironing, removes wrinkles and lint
- Gentle and effective method for removing creases from fabrics
- The gentle steam effect extends the lifespan of your clothes
- Saves time over traditional ironing
- Also suitable for sensitive materials
- Vertical steam ironing for hanging clothes, curtains etc.
- Quick warm-up time through 1500 W of power – ready to use in around 50 seconds
- Detachable 1.2 litre capacity water tank
- Use for up to 40 minutes on a full tank
- Steplessly height adjustable telescopic pole (up to 1,35 m) for individual adjustment to body height and for easy storage
- Constant steam output: around 30 g/min.
- Vertical steam function
- Anti-drip system
- Easy to transport – through 2 large rollers and 2x 360° casters
- Accessories: trousers and clothes hanger, brush head, fabric brush attachment for removing wrinkles and bobbles
- On/Off switch, illuminated
- Overheating protection
- Fire protection fuse
- Cable length approx. 1,80 m

- 230 V, 50 Hz, 1500 W
- BxHxT ca. 340x1640x230 mm

● **Art. no. 263 561**
EAN 4 006 160 635 614 PU 1

CE





Mini washing machine
MWA 3101

- Light mini washing machine
- Obviates the need for tedious hand washing at home and when travelling
- Ideal for both small washes and for sensitive laundry items
- Washes quickly and effectively with a consistent result
- Low water, electricity and detergent consumption
- Ideally suited for camping, holidays and single households
- 15-minute timer
- Includes drainage hose and water inlet
- Capacity: 1.5 kg / 13 litre

- 230 V, 50 Hz, 135 W
- WxHxD approx. 330x460x360 mm

● **Art. no. 271 582**
EAN 4 006 160 715 828 PU 1

Steam cleaner
DR 2930

- Steam cleaner, cleans, disinfects and degreases at 100 °C without lime residues and cleaning strip
- 3.5 bar steam pressure
- Approx. 220 ml water tank
- Overpressure protection
- Overheating protection
- Long lead, approx. 5 metre
- Includes 8 accessories: brush, nozzle, angle, fleece and window cleaning attachments, hose, measuring beaker

- 230 V, 50 Hz, 1000 W
- WxHxD approx. 210x320x160 mm

● **Art. no. 283 009**
EAN 4 006 160 830 095 PU 2

Steam cleaner
DR 3280

- Steam cleaner cleans, disinfects and degreases without limescale residues or streaks left behind from cleaning
- 4 bar steam pressure
- Approx. 1.5 litre water tank
- Stainless steel boiler
- Control lamps (mains and standby)
- Safety tank lid with pressure relief valve
- Overheating protection
- On/Off switch protected against water spray
- Practical open carrying handle
- Smooth running wheels
- Steam control on the handle
- Additional locking button for continuous operation
- Includes 10 accessories: 2-part, extendable insertable tube; floor brush with cloth holder, non-woven cloth, window wiper, 2 jet nozzle attachments, 2 round brush attachments of different sizes, funnel, measuring beaker
- Integrated accessory compartment

- 230 V, 50 Hz, 1500 W
- WxHxD approx. 670x260x285 mm

● **Art. no. 283 013**
EAN 4 006 160 830 132 PU 1

Space saving folding handle
and detachable water tank

Steam mop
DR 3431

- Steam cleaner cleans, disinfects and removes grease at 100°C without grease marks and residues
- Suitable for different surfaces: e.g. laminates, wooden floors, marble, rubber, slate, ceramics
- Cleans fabric surfaces such as carpets, mats and cushions
- Environmentally friendly and hygienic cleaning without the use of chemicals
- Kills bacteria through high steam power
- Maximum disinfection and intensive cleaning
- Ready to use in around 30 seconds
- Approx. 500 ml water tank, detachable
- Use for up to 40 minutes on a full tank
- Up to 35 g steam/min.
- Continuously adjustable steam quantity
- Space saving storage with folding handle
- Accessories:
  - 2 x microfiber cloth
  - carpet glider attachment
  - measuring beaker
- On/Off switch on handle
- Fire protection fuse
- Electric lead take-up
- Long lead, approx. 5.0 m

- 220-240 V, 50 Hz, 1500 W
- WxHxD approx. 315x1120x190 mm

Accessories: Carpet glider attachment
and 2 microfiber cloth

Art.-no.263 560
EAN 4 006 160 635 607 PU 3



Battery vacuum cleaner AKS 827

- With 3 rechargeable Ni-Mh batteries
- Nozzle for small gaps, brush nozzle
- Charge control lamp (LED)
- Charger mains adapter
- Foot/Wall mounting (installation material not supplied)
- Permanent dust filter, washable
- Power input: 5,5 V, 200mA

- 230 V, 50 Hz
- WxHxD approx. 310x130x100 mm

Art. no. 281 044
EAN 4 006 160 810 448 PU 6
CE

Battery wet/dry vacuum cleaner AKS 828

- Wet/dry vacuum cleaner
- Powerful battery vacuum cleaner with three rechargeable batteries
- Charge control lamp (LED)
- Charger mains adapter
- Permanent dust filter, washable
- Accessories: recess nozzle, attachment for wet vacuuming, wall mounting

- 230 V, 50 Hz/3,6 V, 1400 mAh
- WxHxD approx. 380x130x110 mm

Art. no. 281 052
EAN 4 006 160 810 523 PU 6
CE

All floor cordless upright vacuum cleaner AKS 829 B

- 2 in 1 – cordless handheld and upright vacuum cleaner
- High capacity 9.6 V, 1300 mAh battery
- Charge status indicator (LED), illuminated
- Cordless operation for flexible use
- Bagless filtertechnology
- Permanent dust filter, washable
- Dust bin volume: ca. 0.6 litre
- Dust bin is simple to empty, easy to clean
- Electrical, rotating turbo brushes for individual use
- Incl. crevice nozzle, brush nozzle, charger adaptor
- Height adjustable metal telescopic tube (click lock)
- Rubberised rollers, ideal for parquet floors
- Vertical storage position
- Space saving storage

- 230 V, 50 Hz/9,6 V, 1300 mAh
- WxHxD approx. 175x980x125 mm

Art. no. 281 053
EAN 4 006 160 810 530 PU 3
CE

Robot vacuum BSR 1282

- Fully automatic 2-in-1 robot vacuum cleaner with vacuum and wiping function
- Cleans away dirt and dust by itself, room by room
- Suitable for smooth floors and carpets
- Flat dimensions, therefore ideal for cleaning under furniture
- Up to 30 minutes of continuous vacuuming (cleaning)
- Automatic step and obstacle detection
- Incl. dust fleece and 3 replacement fleece
- Easy to clean dirt compartment (0.25 l) with permanent filter
- Vacuum power: approx. 3 Watt
- Charging time: 6-8 hours

- 14,4 V/800 mAhW
- WxHxD approx. 330x110x330 mm

Art. no. 263 555
EAN 4 006 160 635 553 PU 1
CE

Robot vacuum BSR 1283

- Fully automatic robot vacuum cleaner with rotating floor and side brushes
- Vacuum function
- 3 programs (small, medium, large) for different room sizes
- Flat dimensions, therefore ideal for cleaning under furniture
- High power battery for up to 70 min. cleaning time
- Auto Return Function – automatically returns to the base station for charging
- Carpet sensor and obstacle detection
- Virtual Wall – the extent of the work can also be limited so that the robot only vacuums certain patches or areas. Using a sensor (IR), the robot vacuum cleaner detects an infrared virtual wall, which causes it to stop at this erected barrier.
- Easy to clean dirt compartment (0.25 l) with permanent filter
- Vacuum power: approx. 3 Watt
- Charging time: 6-8 hours

- 14,4 V/2000 mAhW
- WxHxD approx. 350x90x350 mm


Suction way (example)

Auto Return Function

„Virtual Wall" (IR-Sensor)

Art. no. 263 556
EAN 4 006 160 635 560 PU 1
CE





Hand vacuum cleaner
HS 2631

- Hand vacuum cleaner for the vacuuming of furniture, upholstery, frames, curtains, books, computers, cars and plenty more
- Compact size: 24 x 12 x 15 cm
- Accessories: flexible „vacuum snout“ with crevice nozzle, small and large brush, shoulder straps
- Permanent vacuum filter, easy to clean
- 6 m cord
- Lightweight
- Vertical storage (space-saving)

- 230 V, 50 Hz, 700 W max.
- WxHxD approx. 360x185x110 mm



● **Art. no. 282 197**
EAN 4 006 160 821 970 PU 6

Floor vacuum cleaner
BS 1264

- 4-layer micro-filter system
- Mechanical suction power control
- Bag full display
- Built-in handle
- Automatic cable rewind
- Easy running rubberised rollers, ideal for parquet floors
- Accessory: 2 in 1 brush/crevice nozzle

- 230 V, 50 Hz, 1400 W max.
- WxHxD approx. 200x210x310 mm

- **Spare bags:** SSB 98
  Art. no. 282 193
  EAN 4 006 160 821 932

○ **Art. no. 271 598**
EAN 4 006 160 715 989 PU 1

Floor vacuum cleaner
BS 1272

- 4-layer micro-filter system
- Stainless steel suction tube
- Electronic suction power control
- Bag full display
- Built-in handle
- Automatic cable rewind
- Easy running rubberised rollers, ideal for parquet floors
- Accessory: Crevice/brush/upholstery nozzle

- 230 V, 50 Hz, 1500 W max.
- WxHxD approx. 315x205x220 mm

- **Spare bags:** SSB 98
  Art. no. 282 193
  EAN 4 006 160 821 932

● **Art. no. 271 643**
EAN 4 006 160 716 436 PU 1

Floor vacuum cleaner
BS 1267

- 4-layer micro-filter system
- Electronic power adjustment
- Height adjustable stainless steel suction tube
- Switchable metal floor brush
- Bag full display
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 3 accessories: Combined brush/crevice nozzle and upholstery nozzle

- 230 V, 50 Hz, 2000 W max.
- WxHxD approx. 230x250x330 mm

- **Spare bags:** SSB 101
  Art. no. 282 047
  EAN 4 006 160 820 478

● **Art. no. 271 601**
EAN 4 006 160 716 016 PU 1

Floor vacuum cleaner
BS 1279

- 4-layer micro-filter system
- Electronic power adjustment
- Switchable metal floor brush
- Stainless steel suction tube
- Rubberised rollers, ideal for sensitive floors
- Bag full display
- Automatic cable rewind
- Practical carrying handle
- Space saving parking aid
- Integrated 3-fold accessories
- Combined brush/crevice nozzle and upholstery nozzle

- 230 V, 50 Hz, 2000 W max.
- WxHxD approx. 250x250x410 mm

- **Spare bags:** SSB 101
  Art. no. 282 047
  EAN 4 006 160 820 478

● **Art. no. 263 177**
EAN 4 006 160 631 777 PU 1

Floor vacuum cleaner
BS 1274

- 4-layer micro-filter system including HEPA filter for optimum dust filtering
- Continuous electronic suction power control
- Height adjustable stainless steel suction tube (click lock)
- Smooth running adjustable floor brush (hard floor/parquet) with metal insert
- LED control lamp
- Automatic cable take-up
- Space saving parking aid
- Bag full display, built-in handle
- Rubberised wheels, suitable for sensitive floors
- 5 types of accessory: combined brush/crevice nozzle, upholstery brush, parquet brush, adjustable floor brush, accessory holder
- 230 V, 50 Hz, 2300 W max.
- WxHxD approx. 415x220x285 mm

- **Spare bags:** SSB 101
  Art. no. 282 047
  EAN 4 006 160 820 478

● **Art. no. 271 661**
EAN 4 006 160 716 610 PU 1





Floor vacuum cleaner
BS 1253

- Floor vacuum cleaner with powerful 1600 watt motor max.
- Mechanical suction power control
- Easy-to-empty, transparent dust collecting container replaces conventional dust bag
- Bagless filter technology – high suction power
- No need to purchase dust bags
- Adjustable floor brush
- Motor protection filter can be washed out
- Space saving parking assistance
- Automatic cable rewind
- Large, smooth rolling wheels
- Tank volume: 2.5 litre

- 230 V, 50 Hz, 1600 W max.
- WxHxD approx. 215x235x370 mm

● **Art. no. 282 911**
EAN 4 006 160 829 112 PU 1

CE

Floor vacuum cleaner
BS 1248

- Floor vacuum cleaner with powerful 2000 watt motor max.
- Easy-to-empty, transparent dust collecting container replaces conventional dust bag
- Bagless filter technology – high suction power
- No need to purchase dust bags
- Adjustable floor brush
- Integrated 3-fold accessories
- Rubberised rollers, ideal for parquet floors
- Motor protection filter can be washed out
- Space saving parking assistance
- Electronic power adjustment
- Automatic cable rewind
- Height adjustable telescopic tube
- Tank volume: 1.25 litre

- 230 V, 50 Hz, 2000 W max.
- WxHxD approx. 377x285x257 mm

● **Art. no. 282 923**
EAN 4 006 160 829 235 PU 1
● **Art. no. 282 924**
EAN 4 006 160 829 242 PU 1
● **Art. no. 282 925**
EAN 4 006 160 829 259 PU 1

CE

Floor vacuum cleaner
BS 1281

- Floor vacuum cleaner with powerful 2300 watt motor max.
- 4-layer filter system
- Easy-to-empty, transparent dust collecting container replaces conventional dust bag
- Bagless filter technology – high suction power
- HEPA filter
- No need to purchase dust bags
- Adjustable floor nozzle
- Includes parquet brush
- Motor protection filter can be washed out
- Dust level indicator
- Space saving parking aid
- Electronic power adjustment
- Automatic cable rewind
- 3 types of accessory: crevice nozzle, upholstery nozzle, brush nozzle
- Height adjustable stainless steel telescopic tube

- 230 V, 50 Hz, 2300 W max.
- WxHxD approx. 460x340x310 mm



● **Art. no. 271 685**
EAN 4 006 160 716 856 PU 1

CE

Cyclon Twin Spin floor vacuum cleaner
BS 1280

- Cyclon Twin Spin floor vacuum cleaner with high-power 2200 watt max.
- Consistently high vacuum performance through Cyclon Twin Spin technology
- Bagless filter technology – high suction power
- No need to purchase dust bags
- Easy-to-empty, transparent dust collecting container replaces conventional dust bag
- Container volume: 4 litre
- Electronic power adjustment
- Includes HEPA filter
- 4-layer filter system
- Switchable metal floor brush
- Height adjustable stainless steel telescopic tube
- Rubberised rollers, ideal for sensitive floors
- Incl. casters
- Automatic cable rewind
- Practical carrying handle, folding
- Space saving parking aid
- Includes parquet brush

- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 300x460x330 mm



● **Art. no. 271 684**
EAN 4 006 160 716 849 PU 1

CE







MC 3240



MC 3241







Floor vacuum cleaner
BS 1276

- Floor vacuum cleaner with powerful 2400 watt motor max.
- 3-layer filter system
- Electronic power adjustment
- Bagless filter technology – high suction power
- No need to purchase dust bags
- Easy-to-empty, transparent dust collecting container replaces conventional dust bag
- Container volume: 2,5 litres
- Elecronical change dust bag indicator
- Includes HEPA filter
- Rubberised rollers, ideal for parquet floors
- Space saving parking aid
- Practical carrying handle
- Automatic cable rewind
- Height adjustable stainless steel telescopic tube
- Adjustable floor brush
- Includes parquet brush
- 3 types of accessory: Crevice nozzle, upholstery, brush nozzle

- 230 V, 50 Hz, 2400 W max.
- WxHxD approx. 430x300x270 mm



+



Art. no. 271 663
EAN 4 006 160 716 634 PU 1

Floor vacuum cleaner
BS 1256

- Includes infrared remote control for continuous power adjustment (batteries supplied)
- Bagless filter technology – high suction power
- Easy-to-empty, transparent dust collecting container replaces conventional dust bag
- No need to purchase dust bags
- 4-layer micro-filter system
- Includes HEPA filter
- Electronic power adjustment
- Height adjustable stainless steel suction tube (click lock)
- Metal floor brush
- Large, easy running, rubberised castors, ideal for parquet floors
- Dust level indicator
- Practical folding handle
- Automatic cable rewind
- Integrated accessories: turbo brush, parquet brush, combined brush/crevice nozzle and upholstery nozzle
- Tank volume: 2 litre

- 230 V, 50 Hz, 2300 W max.
- WxHxD approx. 410x290x265 mm

3 Floor brushes for all requirements



+



+



Art. no. 271 577
EAN 4 006 160 715 774 PU 1

Textile cleaner
MC 3240 / MC 3241

MC 3240
- Ideal for the easy removal of lint/pilling
- Handy size
- Metal lint grid
- Transparent lint container
- On/Off switch

- ▭: 2 x 1,5 V UM3 (not supplied)
- WxHxD approx. 36x76x76 mm

MC 3241
- Ideal for the easy removal of lint/pilling
- Handy size
- Metal lint grid
- Transparent lint container
- On/Off switch

- ▭: 2 x 1,5 V UM3 (not supplied)
- WxHxD approx. 60x85x170 mm

Art. no. 263 063 (MC3240)
EAN 4 006 160 630 633 PU 20
Art. no. 263 062 (MC 3241)
EAN 4 006 160 074 314 PU 20

Nose and ear hair remover
NE 2868

- Conveniently and simply removes troublesome hairs in the nose and ears
- Includes light for improved personal grooming
- With cleaning brush and covering cap for the shearing head
- Removable fine steel shearing head for cleaning
- Body of the device protected against water spray

- ▭: 1x1,5 V UM3 (not supplied)
- WxHxD approx. 140x30x33 mm

Art. no. 262 901
EAN 4 006 160 629 019 PU 24

Hair and beard trimmer
HSM 3430

- Stainless steel precision shaving head for uniform haircut
- Powerful Pivot motor (powerful, long-live and quiet)
- Stainless steel blade
- Stepless cutting lenght adjustment for efficient use of the comb attachments
- 4 comb attachments: 3, 6, 9, 12 mm
- Rubberized inlay for non-slip handling
- Accessories:
  - 4 comb attachments
  - cleaning brush
  - shearing head protection
  - hanging loop

- 230-240 V, 50 Hz, 10 W
- WxHxD approx. 65x55x200 mm

Art. no. 263 559
EAN 4 006 160 635 591 PU 12

2in1

Hair and beard trimmer
HSM 2659 NE

Hair and beard trimmer:
- Precision cutting head
- Stainless steel blade
- Variable cutting length
- Powerful motor
- Ergonomically shaped body
- Hanging loop

Nose hair trimmer:
- Rotating shearing

- 230 V, 50 Hz, 10 W
  ▭ : 1x1,5 V UM3
  (not supplied)
- WxHxD approx. 50x220x68 mm

● **Art. no. 271 479**
EAN 4 006 160 714 791 PU 10

CE GS

Battery

Hair and beard trimmer
HSM/R 3313

- Battery mode
- Stainless steel precision shaving head for uniform haircut
- 4 adjustable cutting lengths: 3, 5, 9, 13,16 – for professional working
- Removable comb attachment
- Mechanically folding shaving head for easy cleaning
- Easy to handle due to ergonomically shaped grip
- Soft-touch handle inlay
- LED charge display
- Charging station/stand including rubberised feet for stability
- Includes six accessories: charging station/stand, mains charger, comb, cleaning brush, scissors, comb attachment

- ⊙ : Mains charger 230 V, 50 Hz
  ⊙ : Battery (NiMh) 800 mAh
- WxHxD approx. 50x190x50 mm

● **Art. no. 282 243**
EAN 4 006 160 822 434 PU 10

CE GS

Battery

Men's rasor
HR 2603 N

- Battery
- 2 level shaving system
- Hair cutter
- LED display
- Removable double shaving head for the cleaning of the blades
- Skid-proof handle area
- Travel case with mirror

- 230 V, 50 Hz, 800 W
- WxHxD approx. 58x138x40 mm

● **Art. no. 273 501**
EAN 4 006 160 735 017 PU 6
● **Art. no. 273 502**
EAN 4 006 160 735 024 PU 6

CE GS

Battery

Men's shaver including nose/ear hair remover HR 3236

Men's shaver:
- 2 level shaving system
- Hair cutter
- Removable double shaving head for the cleaning of the blades
- Includes spare shaving foil, cleaning brush, oil, storage bag

Nose and ear hair trimmer:
- Blade can be removed for cleaning under running water
- Stainless steel blade
- Rotating shearing

General:
- Battery/AC adapter
- On/Off switch
- Skid-proof handle area
- Includes textile bag

- 230 V, 50 Hz, 3 W
- WxHxD approx. 56x150x40 mm



2in1

● **Art. no. 273 498**
EAN 4 006 160 734 980 PU 6

CE GS

Curlers
LW 3371

- Set of heated curlers
- 24 curlers
- 3 different curler sizes
- 8 x small – for thick hair
- 8 x medium – for wavy and soft hair
- 8 x large – for maximum volume
- includes 24 metal clips
- accessory compartments for 24 metal clips
- Transparent lid
- Electronic temperature control
- Short heating period
- Overheating protection
- Fire protection fuse
- On/Off switch
- LED standby display
- Power status light
- Electric lead take-up
- Extra long mains lead
- Excellent stability through rubberised feet

- 230 V, 50 Hz, 400 W
- WxHxD approx. 310x105x200 mm

● **Art. no. 251 127**
EAN 4 006 160 511 277 PU 6

CE GS

Hair straightener
HC 3085

- Ideal for fashionable hairstyles
- Anodised styling plates
- Even heat distribution
- Handy design
- Rapid heating
- Including comb attachment
- On/Off switch
- Indicator light

- 230 V, 50 Hz, 25 W
- WxHxD approx. 70x50x265 mm



● **Art. no. 273 506**
EAN 4 006 160 735 062 PU 12

CE GS



Ceramic

Hair straightener
HC 3361

- Ideal for fashionable hairstyles
- Full ceramic plates for even and gentle heat distribution
- Straightens the hair without problems due to the prolonged constant temperature
- Short heating period
- Handy design
- Soft-touch
- On/Off switch
- Hanging loop

- 230 V, 50 Hz, 20 W
- WxHxD approx. 43x45x285 mm

Art. no. 263 331
EAN 4 006 160 633 313 PU 12

Ceramic

Hair straightener
HC 3362

- Ideal for fashionable hairstyles
- Full ceramic plates for even and gentle heat distribution
- Plates spring-mounted
- Temperature range 90°C–180°C, adjustable in 5°C steps
- Electronic temperature setting
- Blue LCD display with temperature display
- Temperature control lamp
- Straightens the hair without problems due to the prolonged constant temperature
- Short heating period
- Mechanical locking mechanism
- Cable attached via 360° turnable joint
- Soft-touch
- On/Off switch
- Hanging loop

- 230 V, 50 Hz, 35 W
- WxHxD approx. 40x45x330 mm

LCD-display with temperature display

Art. no. 263 332
EAN 4 006 160 633 320 PU 12

2in1

Hair straightener
HC 2847

- Ideal for fashionable hairstyles
- LED control lamp
- Locking device
- Hanging loop
- 3 sets of interchangeable plates for:
  - voluminous hair
  - wavy hair or
  - straight hair

- 230 V, 50 Hz, 22 W
- WxHxD approx. 68x45x235 mm



Art. no. 271 106
EAN 4 006 160 711 066 PU 6

4in1

Multicurler 4 in 1
MC 3020

- Hair smoother with set of interchangeable plates for wavy or smooth hair
- Curling tongs and curling iron in one
- Ideal for fashionable hairstyles
- Curling tongs chrome plated
- Removable brush attachment
- On/Off switch
- Indicator light
- Turn-lock fastener for attachments
- Cable attached via 360° turnable joint
- Overheating protection
- Ergonomic design handle

- 230 V, 50 Hz, 20 W
- WxHxD approx. 315x76x41 mm



Art. no. 271 544
EAN 4 006 160 715 446 PU 12

Hair crimper
HC 3392

- Hair crimper chromed
- Soft-touch housing
- On/Off switch
- Indicator light
- Rapid heating
- Trouble-free styling due to the constant, long-lasting temperature
- Cable attached via 360° turnable joint
- Incl. setting-down aid

- 230 V, 50 Hz, 25 W
- WxHxD approx. 280x35x70 mm

Art. no. 263 183
EAN 4 006 160 631 838 PU 12

2in1

Hair crimper/Hot air styler
HCS 2965

- 2-in-1 curling tongs and curling iron in one
- Hair crimper chromed
- Removable brush attachment
- Indicator light
- Cable attached via 360° turnable joint
- Overheating protection
- Ergonomic design handle

- 230 V, 50 Hz, 15 W
- WxHxD approx. 270x80x29 mm



Art. no. 271 361
EAN 4 006 160 713 619 PU 12



Window-Box

Hot air styler
HAS 2712

- 2 power levels
- Roll key for accessories
- Cable with swivel cord 360°
- Safety cut-out
- Ergonomically formed

- 230 V, 50 Hz, 300 W
- WxHxD approx. 320x50x50 mm

⚪ **Art. no. 271 129**
EAN 4 006 160 711 295 PU 12

CE

Hot air styler
HAS 3019

- Powerful 550 watt motor
- 2 power levels and cold level "Cool Shot"
- Incl. 3 accessories:
  - volume styler
  - round brush
  - regular brush
- Switchable voltage
- Roll-out button for attachments
- Overheating protection

- 115/230 V, 50/60 Hz, 550 W
- WxHxD approx. 305x45x45 mm



🔵 **Art. no. 271 548**
🔴 **EAN 4 006 160 715 484 PU 12**

CE

Hairdryer
HT 3393

- Compact travelling hairdryer
- Removable shaped nozzle, rotatable through 360°
- Rubber profile on the casing to prevent slipping when putting down
- 2 temperature/power settings
- Overheating protection
- Hanging loop

- 230 V, 50 Hz, 1200 W
- WxHxD approx. 111x210x75 mm

⚪ **Art. no. 263 184**
⚫ **EAN 4 006 160 631 845 PU 12**

CE

Hairdryer
HT 3428

- Compact travelling hairdryer
- Soft-touch housing – rubberised surface to prevent slipping when putting down
- 2 temperature/power settings
- Includes see-through bag for practical storage and when travelling
- Hanging loop

- 230 V, 50 Hz, 1200 W
- WxHxD approx. 150x210x75 mm

🔵 **Art. no. 263 557**
EAN 4 006 160 635 577 PU 12

🔴 **Art. no. 264 557**
EAN 4 006 160 645 576 PU 12

CE

Hairdryer
HTD 3429

- Compact travelling hairdryer
- Folding handle
- Soft-touch housing – rubberised surface to prevent slipping when putting down
- 2 temperature/power settings
- Switchable voltage: 110/230 V
- Removable shaped nozzle, rotatable through 360°
- Includes volume diffuser
- Includes see-through bag for practical storage and when travelling
- Hanging loop

- 230 V, 50 Hz, 1300 W max.
- WxHxD approx. 170x235x75 mm



🔵 **Art. no. 263 558**
EAN 4 006 160 635 584 PU 12

🔴 **Art. no. 264 558**
EAN 4 006 160 645 583 PU 12

CE

Hairdryer
HTD 3332

- 1600 watt
- 2 temperature/power settings (0-1-2)
- "Cool Shot"
- Incl. volume diffuser and shaping nozzle
- Overheating protection
- Hanging loop
- Promotional see-through cardboard sleeve

- 230 V, 50 Hz, 1600 W
- WxHxD approx. 150x195x80 mm

⚪ **Art. no. 263 317**
EAN 4 006 160 633 177 PU 3+3

CE



Hairdryer
HTD 3363

- Professional hairdryer with powerful 2000 watt
- 3 temperature/power settings
- 2 speed settings
- "Cool Shot"
- Professional volume diffuser and shaping nozzle
- Rubberised surface to prevent slipping when putting down
- Overheating protection
- Hanging loop

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 210x235x90 mm




🟤 **Art. no. 263 333**
EAN 4 006 160 633 337 PU 6
⚫ **Art. no. 263 330**
EAN 4 006 160 633 306 PU 6

CE GS

Professional hairstyler
HTD 3055 Profi

- 2000 watt
- 3 temperature/power settings
- 2 speed settings
- "Cool Shot"
- Professional volume diffuser and shaping nozzle
- Air intake filter, removable
- Rubberised housing to prevent slipping when putting down
- Soft-touch grip
- Overheating protection
- Hanging loop

- 230 V, 50 Hz, 2000 W max.
- WxHxD approx. 270x270x90 mm



⚫ **Art. no. 271 554**
EAN 4 006 160 715 514 PU 6

CE GS

Hairdryer
HTD 2939

- 2 speed settings
- "Cool Shot"
- Professional finger diffuser and styling nozzle
- Air intake filter, removable
- Safety thermal cut-out
- Hanging loop

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 260x240x90 mm

⚫ **Art. no. 271 359**
EAN 4 006 160 713 596 PU 6

CE GS

Professional hairstyler
HTD 3217

- 2200 watt
- 3 temperature/power settings
- 2 speed settings
- "Cool Shot"
- Professional volume diffuser and shaping nozzle
- Screw-in handle (space saving)
- Includes travel bag with pull cord
- Air intake filter, removable
- Soft-touch housing to prevent slipping when putting down
- Safety cut-out
- Hanging loop

- 230 V, 50 Hz, 2200 W
- WxHxD approx. 245x255x85 mm





🔴 **Art. no. 271 628**
EAN 4 006 160 716 283 PU 6
🔵 **Art. no. 271 632**
EAN 4 006 160 716 320 PU 6

CE GS

Hairdryer
HTD 3315

- Professional hairdryer with powerful 2000 watts
- 3 temperature and 2 blower levels for every type of hair
- "Cool Shot"
- Professional volume diffuser and shaping nozzle
- Air inlet filter, folding
- Rubber profile on the casing to prevent slipping when putting down
- Includes wall holder for space saving storage and quick access
- Extra long spiral cable: space saving but maximum flexibility during use
- Overheating protection
- Hanging loop

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 225x270x85 mm

⚪ **Art. no. 273 568**
EAN 4 006 160 735 680 PU 6

CE GS

Hairdryer
HTD 3012 Profi

iONiC

- 2100 watt
- 3 temperature/2 speed settings
- "Cool Shot"
- Ionisation function – easier styling thanks to anti-static effect, the hair does not dry out and becomes sleek and shiny
- Professional volume diffuser and shaping nozzle
- Air intake filter
- Rubber profile on the casing to prevent slipping when putting down
- Soft-touch handle
- Hanging loop

- 230 V, 50 Hz, 2100 W
- WxHxD approx. 233x102x262 mm

⚪ **Art. no. 271 363**
EAN 4 006 160 713 633 PU 6

CE GS

ionic

Professional hairstyler
HTD 3243 Profi

- 2200 watt
- 3 temperature/power settings
- 2 speed settings
- “Cool Shot”
- Ionisation function, switchable – easier styling thanks to anti-static effect, the hair does not dry out and becomes sleek and shiny
- Professional volume diffuser and shaping nozzle
- Soft-touch housing
- Hanging loop

- 230 V, 50 Hz, 2200 W
- WxHxD approx. 220x270x95 mm

Stiftung Warentest
test
GUT (2,0)
Im Test:
16 Haartrockner
Ausgabe
10/2009

● **Art. no. 263 324**
EAN 4 006 160 633 245 PU 6
● **Art. no. 273 497**
EAN 4 006 160 734 973 PU 6
● **Art. no. 263 340**
EAN 4 006 160 633 405 PU 6

CE GS

AC motor

Professional hairstyler
HTD 3394

- Professional hairdryer with 2000 watt
- High-performance AC-motor – also ideal for salon requirements:
  - 50% longer service life
  - particularly strong air current for fast and effective drying, also ideal for long drying times
- 3 temperature/power settings
- 2 speed settings
- “Cool Shot”
- Extra narrow shaping nozzle that rotates through 360°, for precise styling, removable
- Incl. professional volume diffuser
- Soft-touch housing
- Slip-resistant
- Cable length: approx. 1.8 m
- Air inlet filter, removable
- Indicator light
- Overheating protection
- Hanging loop

- 230 V, 50 Hz, 2000 W
- WxHxD approx. 240x270x90 mm

● **Art. no. 263 185**
EAN 4 006 160 631 852 PU 6

CE GS

Manicure/Pedicure set
MPS 2681

- Ergonomically shaped handle with On/Off switch
- 8 different attachments:
  2 file attachments
  2 rasp attachments
  1 polishing attachment
  3 rubbing attachments
- Fingernail skin shaping stick
- Rechargeable battery
- Charge control lamp
- Can be used with mains adapter when battery is flat
- Practical storage box

Power supply:
- Primary mains adapter: 230 V, 50 Hz

Output voltage/output current:
- Secondary mains adapter 2.8 V / 500 mA

Battery:
- Battery pack 2.4 V / 600 mA/h

Protection class: II

- WxHxD approx. 210x70x150 mm

○ **Art. no. 271 486**
EAN 4 006 160 714 869 PU 8

CE GS

Electronic bathroom scales
PW 3368

- Electronic glass bathroom scales with clearly legible LCD display
- Weighing units in kg, lb, st (convertible)
- Measurement range up to 150 kg
- Measurement range of 2.5-150 kg, subdivided into 100 g steps
- Low-maintenance standing surface
- Stable due to non-slip feet
- Automatic switch off (prolongs battery life)

- Battery-operated: 1 x CR 2032 (Battery supplied)
- WxHxD approx. 330x300x250 mm

● **Art. no. 271 666**
EAN 4 006 160 716 665 PU 6

CE

Bathroom scales
PW 3369

- Electronic glass bathroom scales with clearly legible LCD display
- Weighing units in kg, lb, st (convertible)
- Measurement range up to 150 kg
- Measurement range of 2.5-150 kg, subdivided into 100 g steps
- Low-maintenance standing surface
- Stable due to non-slip feet
- Automatic switch off (prolongs battery life)

- Battery-operated: 1 x CR 2032 (Battery supplied)
- WxHxD approx. 320x320x25 mm

● **Art. no. 271 665**
EAN 4 006 160 716 658 PU 6

CE

Stainless steel

Bathroom scales
PW 3370

- Electronic stainless steel scale with clearly legible LCD display, blue backlight
- Weighing units in kg, lb, st (convertible)
- Measurement range up to 150 kg
- Measurement range of 2.5-150 kg, subdivided into 100 g steps
- Low-maintenance standing surface
- Stable due to non-slip feet
- Automatic switch off (prolongs battery life)

- Battery-operated: 3 x AAA (Batteries not included)
- WxHxD approx. 330x330x25 mm

Art. no. 271 664
EAN 4 006 160 716 641 PU 6

Foot massager
FM 3389

- Intense whirlpool effect
- Massage burls for stimulating the foot reflex zones
- Additional massage roller, detachable, for selective foot reflex zone massage
- Heated footrest
- 4-level switches:
  0 = Off
  1 = massage,
  2 = warm/whirl
  3 = warm/whirl/massage
- Can be used with and without water
- Splash guard, detachable
- Water level mark
- Spout
- Large rubber feet for slip-proof stand

- 230 V, 50 Hz, 90 W
- WxHxD approx. 300x120x380 mm

Art. no. 263 186
EAN 4 006 160 631 869 PU 3

Infra-red massaging rod
MSI 2571

- 3 functions:
  - massage only
  - infra-red only
  - massage and infra-red
- 4 different massage accessories:
  - 2x point concentrators
  - surface massager
  - face massager
- Extremely quiet motor

- 230 V, 50 Hz, 13 W
- WxHxD approx. 240x70x75 mm



Art. no. 271 460
EAN 4 006 160 714 609 PU 6

Ø 23 cm

Table fan
VL 2944

- Oscillating (can be switched off)
- Adjustable angle of inclination
- Metal protection grid
- High stability due to non-slip feet
- Ø approx. 23 cm
- 2 speeds
- 3-level switches (0–1–2)

- 230 V, 50 Hz, 30 W
- WxHxD approx. 270x400x195 mm

Art. no. 271 069
EAN 4 006 160 710 694 PU 4

Ø 30 cm

Table fan
VL 2945

- Oscillating (can be switched off)
- Adjustable angle of inclination
- Metal protection grid
- High stability due to non-slip feet
- Ø approx. 30 cm
- 3 speeds
- 4-level switches (0–1–2–3)

- 230 V, 50 Hz, 40 W
- WxHxD approx. 340x500x270 mm

Art. no. 271 070
EAN 4 006 160 710 700 PU 4

Ø 40 cm

Standing fan
VL 2947 S

- Oscillating (can be switched off)
- Height adjustable
- Adjustable angle of inclination
- Metal protection grid
- High stability due to non-slip feet
- Ø approx. 40 cm
- 3 speeds
- 4-level switches (0–1–2–3)

- 230 V, 50 Hz, 40 W
- WxHxD approx. 440x1310x565 mm

Art. no. 271 072
EAN 4 006 160 710 748 PU 3

Convector heater
KH 3077

- Mobile heat – also suitable for heating summerhouses, garages and conservatories
- Convenient built-in carry handles for easy transport
- 3 heat settings (750/1250/2000 W)
- Infinitely adjustable thermostat
- Automatic temperature controller
- Low-noise operation
- Indicator light
- Overheating protection
- Wall installation possible (installation material supplied)

- 220–240 V, 50Hz, 1900–2200 W
- WxHxD (without feet) 570x110x375 mm
- WxHxD (with feet) 570x190,5x420 mm

Art. no. 281 963
EAN 4 006 160 819 632 PU 2

CE

Convector heater
KH 3433

- Mobile heat – also suitable for heating summerhouses, garages and conservatories
- Convenient built-in carry handles for easy transport
- 3 heat settings (750/1250/2000 W)
- Infinitely adjustable thermostat
- Automatic temperature controller
- Includes blower function
- Low-noise operation
- 3 control lamps
- Overheating protection
- Wall installation possible (installation material supplied)

- 220–240 V, 50Hz, 1900–2200 W
- WxHxD (without feet) 670x440x110 mm
- WxHxD (with feet) 670x480x110 mm

Art. no. 263 562
EAN 4 006 160 819 632 PU 2

CE



Tower fan
T-VL 2976

- Space saving
- Super silent
- Protective grid
- 90° oscillating
- 120-minute timer
- Separate On/Off switch with oscillation
- 4-level switches (0–1–2–3)
- Height 76 cm
- Stable due to non-slip feet

- 230 V, 50 Hz, 40 W
- WxHxD approx. 235x745x235 mm



Art. no. 271 073
EAN 4 006 160 271 072 PU 2

CE

Fan heater
HL 3378

- Infinitely adjustable thermostat
- 2 heat settings (1000/2000 W)
- Cold (ventilator)
- Indicator light
- Overheating protection
- High stability
- Sturdy carrying handle

- 220-240 V, 50 Hz, 2000 W
- WxHxD approx. 230x138x262 mm

Art. no. 271 671
EAN 4 006 160 716 719 PU 4

CE

Fan heater
HL 3379

- Infinitely adjustable thermostat
- 2 heat settings (1000/2000 W max.)
- Cold (ventilator)
- Indicator light
- Overheating protection
- Safe base
- 2 different ways of setting up
- Sturdy carrying handle

- 220-240 V, 50 Hz, 2000 W
- WxHxD approx. 248x120x250 mm

Art. no. 271 672
EAN 4 006 160 716 726 PU 4

CE



Fan heater
HL 3377

- Infinitely adjustable thermostat
- Oscillating (can be switched off)
- 2 heat settings (1000/2000 W)
- Cold (ventilator)
- Overheating protection
- Safe base
- Safety contact switch for fire protection
- Sturdy carrying handle

- 220-240 V, 50 Hz, 2000 W
- WxHxD approx. 235x300x205 mm

○ **Art. no. 271 670**
EAN 4 006 160 716 702 PU 4

Insect killer
IV 3340

- Environmentally-friendly killing of mosquitoes/gnats/wasps/insects without chemicals or scents
- The insects are attracted by the UV light and killed by means of an electric wire mesh
- Electric wire mesh voltage: 1500-2000 V on the mesh itself
- Covers a range of approx. 20 m²
- Specifically designed for use in closed rooms
- All-round use
- Same level of efficiency in daylight and artificial light
- Includes suspension device

- 230 V, 50 Hz, 4 W
- WxHxD approx. 160x230x100 mm

● **Art. no. 263 136**
EAN 4 006 160 631 364 PU 6

Dust bags

BS 1217/ BS 1219/ BS 1220/ BS 1221/ BS 1223/ BS 1225/ BS 1226/ BS 1232/ BS 1233/ BS 1237/ BS 1243/ BS 1245/ BS 1254/ BS 1257/ BS 1267/ BS 1268/ BS 1271/ BS 1274/ BS 1279
Art. no.: 282 047
EAN: 4 006 160 820 478 PU: 1

BS 1218
Art. no.: 282 161
EAN: 4 006 160 821 611 PU: 1

BS 1222/ BS 1230/ BS 1250 BS 1264/ BS 1272/ BS 1275
Art. no.: 282 193
EAN: 4 006 160 821 932 PU: 1

BS 1224/ BS 1231
Art. no.: 282 207
EAN: 4 006 160 822 076 PU: 1

HEPA Filter

BS 1218
Art. no.: 282 162
EAN: 4 006 160 821 628 PU: 1

BS 1224
Art. no.: 282 203
EAN: 4 006 160 822 038 PU: 1

BS 1256
Art. no.: 271 596
EAN: 4 006 160 822 038 PU: 1

Filter sets

BS 1228
Art. no.: 282 840
EAN: 4 006 160 828 405 PU: 1

BS 1229
Art. no.: 612 290
EAN: 4 006 160 122 909 PU: 1

BS 1234
Art. no.: 282 850
EAN: 4 006 160 828 504 PU: 1

BS 1236
Art. no.: 282 862
EAN: 4 006 160 828 627 PU: 1

BS 1240
Art. no.: 282 886
EAN: 4 006 160 828 863 PU: 1

BS 1247
Art. no.: 271 576
EAN: 4 006 160 715 767 PU: 1

BS 1248
Art. no.: 282 906
EAN: 4 006 160 829 068 PU: 1

BS 1249
Art. no.: 282 907
EAN: 4 006 160 829 075 PU: 1

BS 1253
Art. no.: 282 914
EAN: 4 006 160 829 143 PU: 1

BS 1255
Art. no.: 271 575
EAN: 4 006 160 715 750 PU: 1

BS 1256
Art. no.: 271 596
EAN: 4 006 160 715 965 PU: 1

BS 1259
Art. no.: 271 595
EAN: 4 006 160 715 958 PU: 1

BS 1273
Art. no.: 282 918
EAN: 4 006 160 829 181 PU: 1

Ersatzbürsten
CTC
CLATRONIC

Ersatzzahnbürsten
für elektrische Zahnbürsten
CLATRONIC



Spare brushes

EZ 2458/ EZ 2555/ EZ 2597/ EZ 2683/ EZ 2693/ EZ 2734

Art. no.: 271 461

EAN:	4 006 160 714 616	PU: 10

EZ 3263

Art. no.: 263 085

EAN:	4 006 160 630 855	PU: 10

Spare rolls for bag sealer

FS3261

Art. no.: 282 020

EAN	4 006 160 820 201	PU 10

Art. no.: 890 0216

EAN	4 006 160 900 217	PU 10

Headquarter

Logistic Center (approx. 60.000 m²)

Showroom

Quality assurance

CTC CLATRONIC®

CTC Clatronic Int. GmbH
Industriering Ost 40
D-47906 Kempen
Phone +49 (0) 21 52/20 06-0
Fax +49 (0) 21 52/20 06-19 99
info@clatronic.de
www.clatronic.com

CTC Clatronic Sp. z o. o.
Ul. Opolska 1 A Karczów
PL-49-120 Dąbrowa
Phone +48 (0) 77/4 56 85-10/-11
Fax +48 (0) 77/4 56 85-12
clatronic@clatronic.pl
www.clatronic.pl

CLATRONIC Italia Srl.
Corso Stati Uniti 18/B
I-35127 Padova
Phone +39 (0) 49/8 70 38 72
Fax +39 (0) 49/7 62 83 78
info@clatronic.it
www.clatronic.it

CLATRONIC Far East Ltd.
Unit 33, 35, 37 & 39, 9/F, KITEC
1 Trademart Drive,
Kowloon Bay
Kowloon, Hong Kong
info@clatronic.com.hk
www.clatronic.com.hk

Stünings Krefeld • 08/11 • Colour shades may differ from those shown. Subject to technical alterations.